Livox C++ API Reference v2.1.1

Livox

Jun 02, 2020

CONTENTS:

CHAPTER

ONE

BASIC TYPES AND FUNCTIONS

enum DeviceType
Device type.

Values:

kDeviceTypeHub = 0
Livox Hub.

kDeviceTypeLidarMid40 = 1
Mid-40.

kDeviceTypeLidarTele = 2
Tele.

kDeviceTypeLidarHorizon = 3
Horizon.

enum LidarState
Lidar state.

Values:

kLidarStateInit = 0
Initialization state.

kLidarStateNormal = 1
Normal work state.

kLidarStatePowerSaving = 2
Power-saving state.

kLidarStateStandBy = 3
Standby state.

kLidarStateError = 4
Error state.

kLidarStateUnknown = 5
Unknown state.

enum LidarFeature
Lidar feature.

Values:

kLidarFeatureNone = 0
No feature.

kLidarFeatureRainFog = 1
Rain and fog feature.

enum LidarIpMode
Lidar IP mode.

Values:

kLidarDynamicIpMode = 0
Dynamic IP.

kLidarStaticIpMode = 1
Static IP.

enum LivoxStatus
Function return value definition.

Values:

kStatusSendFailed = -9
Command send failed.

kStatusHandlerImplNotExist = -8
Handler implementation not exist.

kStatusInvalidHandle = -7
Device handle invalid.

kStatusChannelNotExist = -6
Command channel not exist.

kStatusNotEnoughMemory = -5
No enough memory.

kStatusTimeout = -4
Operation timeouts.

kStatusNotSupported = -3
Operation is not supported on this device.

kStatusNotConnected = -2
Requested device is not connected.

kStatusFailure = -1
Failure.

kStatusSuccess = 0
Success.

typedef int32_t **livox_status**
Fuction return value defination, refer to *LivoxStatus*.

enum KeyErrorCode
The error code of Getting/Setting Device's Parameters.

Values:

kKeyNoError = 0
No Error.

kKeyNotSupported = 1
The key is not supported.

kKeyExecFailed = 2
Execution failed.

kKeyNotSupportedWritingState = 3
The key cannot be written.

kKeyValueError = 4
Wrong value.

kKeyValueLengthError = 5
Wrong value length.

kKeyNoEnoughMemory = 6
Reading parameter length limit.

kKeyLengthError = 7
The number of parameters does not match.

enum DeviceParamKeyName
Keys of device's parameters.

Values:

kKeyDefault = 0
Default key name.

kKeyHighSensetivity = 1
Key to get/set LiDAR' Sensetivity.

struct KeyValueParam
Key and value of device's parameters.

Public Members

uint16_t **key**

uint16_t **length**

uint8_t **value**[1]

struct DeviceParameterResponse
The response body of setting device's parameter.

Public Members

uint8_t **ret_code**
Return code.

uint16_t **error_param_key**
Error Key.

uint8_t **error_code**
Error code, refer to *KeyErrorCode*.

struct GetDeviceParameterRequest
The request body for the command of getting device's parameters.

Public Members

uint8_t **param_num**

uint16_t **key**[1]

struct GetDeviceParameterResponse
The response body of getting device's parameter.

Public Members

DeviceParameterResponse **rsp**

KeyValueParam **kv**

enum DeviceEvent
Device update type, indicating the change of device connection or working state.

Values:

kEventConnect = 0
Device is connected.

kEventDisconnect = 1
Device is removed.

kEventStateChange = 2
Device working state changes or an error occurs.

kEventHubConnectionChange = 3
Hub is connected or LiDAR unit(s) is/are removed.

enum TimestampType
Timestamp sync mode define.

Values:

kTimestampTypeNoSync = 0
No sync signal mode.

kTimestampTypePtp = 1
1588v2.0 PTP sync mode.

kTimestampTypeRsvd = 2
Reserved use.

kTimestampTypePpsGps = 3
pps+gps sync mode.

kTimestampTypePps = 4
pps only sync mode.

kTimestampTypeUnknown = 5
Unknown mode.

enum PointDataType
Point data type.

Values:

kCartesian
Cartesian coordinate point cloud.

kSpherical
Spherical coordinate point cloud.

kExtendCartesian
Extend cartesian coordinate point cloud.

kExtendSpherical
Extend spherical coordinate point cloud.

kDualExtendCartesian
Dual extend cartesian coordinate point cloud.

kDualExtendSpherical
Dual extend spherical coordinate point cloud.

kImu
IMU data.

kMaxPointDataType
Max Point Data Type.

enum PointCloudReturnMode
Point cloud return mode.

Values:

kFirstReturn
First single return mode .

kStrongestReturn
Strongest single return mode.

kDualReturn
Dual return mode.

enum ImuFreq
IMU push frequency.

Values:

kImuFreq0Hz
IMU push closed.

kImuFreq200Hz
IMU push frequency 200Hz.

struct LivoxRawPoint
Cartesian coordinate format.

Public Members

int32_t **x**
X axis, Unit:mm

int32_t **y**
Y axis, Unit:mm

int32_t **z**
Z axis, Unit:mm

uint8_t **reflectivity**
Reflectivity

struct LivoxSpherPoint
Spherical coordinate format.

Public Members

uint32_t **depth**
Depth, Unit: mm

uint16_t **theta**
Zenith angle[0, 18000], Unit: 0.01 degree

uint16_t **phi**
Azimuth[0, 36000], Unit: 0.01 degree

uint8_t **reflectivity**
Reflectivity

struct LivoxPoint
Standard point cloud format

Public Members

float **x**
X axis, Unit:m

float **y**
Y axis, Unit:m

float **z**
Z axis, Unit:m

uint8_t **reflectivity**
Reflectivity

struct LivoxExtendRawPoint
Extend cartesian coordinate format.

Public Members

int32_t **x**
X axis, Unit:mm

int32_t **y**
Y axis, Unit:mm

int32_t **z**
Z axis, Unit:mm

uint8_t **reflectivity**
Reflectivity

uint8_t **tag**
Tag

struct LivoxExtendSpherPoint
Extend spherical coordinate format.

Public Members

uint32_t **depth**
Depth, Unit: mm

uint16_t **theta**
Zenith angle[0, 18000], Unit: 0.01 degree

uint16_t **phi**
Azimuth[0, 36000], Unit: 0.01 degree

uint8_t **reflectivity**
Reflectivity

uint8_t **tag**
Tag

struct LivoxDualExtendRawPoint
Dual extend cartesian coordinate format.

Public Members

int32_t **x1**
X axis, Unit:mm

int32_t **y1**
Y axis, Unit:mm

int32_t **z1**
Z axis, Unit:mm

uint8_t **reflectivity1**
Reflectivity

uint8_t **tag1**
Tag

int32_t **x2**
X axis, Unit:mm

int32_t **y2**
Y axis, Unit:mm

int32_t **z2**
Z axis, Unit:mm

uint8_t **reflectivity2**
Reflectivity

uint8_t **tag2**
Tag

struct LivoxDualExtendSpherPoint
Dual extend spherical coordinate format.

Public Members

uint16_t **theta**
Zenith angle[0, 18000], Unit: 0.01 degree

uint16_t **phi**
Azimuth[0, 36000], Unit: 0.01 degree

uint32_t **depth1**
Depth, Unit: mm

uint8_t **reflectivity1**
Reflectivity

uint8_t **tag1**
Tag

uint32_t **depth2**
Depth, Unit: mm

uint8_t **reflectivity2**
Reflectivity

uint8_t **tag2**
Tag

struct LivoxImuPoint
IMU data format.

Public Members

float **gyro_x**
Gyroscope X axis, Unit:rad/s

float **gyro_y**
Gyroscope Y axis, Unit:rad/s

float **gyro_z**
Gyroscope Z axis, Unit:rad/s

float **acc_x**
Accelerometer X axis, Unit:g

float **acc_y**
Accelerometer Y axis, Unit:g

float **acc_z**
Accelerometer Z axis, Unit:g

struct DeviceInfo
Information of the connected LiDAR or hub.

Public Members

char **broadcast_code**[16]
Device broadcast code, null-terminated string, 15 characters at most.

uint8_t **handle**
Device handle.

uint8_t **slot**
Slot number used for connecting LiDAR.

uint8_t **id**
LiDAR id.

uint8_t **type**
Device type, refer to *DeviceType*.

uint16_t **data_port**
Point cloud data UDP port.

uint16_t **cmd_port**
Control command UDP port.

uint16_t **sensor_port**
IMU data UDP port.

char **ip**[16]
IP address.

LidarState **state**
LiDAR state.

LidarFeature **feature**
LiDAR feature.

StatusUnion **status**
LiDAR work state status.

uint8_t **firmware_version**[4]
Firmware version.

union StatusUnion
#include <*livox_def.h*> Information of LiDAR work state.

Public Members

uint32_t **progress**
LiDAR work state switching progress.

ErrorMessage **status_code**
LiDAR work state status code.

struct ReturnCode

Public Members

uint8_t **ret_code**
Return code.

char **broadcast_code**[16]
Device broadcast code.

struct LivoxSdkVersion
The numeric version information struct.

Public Members

int **major**
major number

int **minor**
minor number

int **patch**
patch number

void **GetLivoxSdkVersion**(*LivoxSdkVersion* **version*)
Return SDK's version information in a numeric form.

Parameters

- `version`: Pointer to a version structure for returning the version information.

void **DisableConsoleLogger**()
Disable console log output.

bool **Init**()
Initialize the SDK.

Return true if successfully initialized, otherwise false.

bool **Start**()
Start the device scanning routine which runs on a separate thread.

Return true if successfully started, otherwise false.

void **Uninit**()
Uninitialize the SDK.

struct BroadcastDeviceInfo
The information of broadcast device.

Public Members

char **broadcast_code**[16]
Device broadcast code, null-terminated string, 15 characters at most.

uint8_t **dev_type**
Device type, refer to *DeviceType*.

uint16_t **reserved**
Reserved.

char **ip**[16]
Device ip.

typedef void (***DeviceBroadcastCallback**)(**const** *BroadcastDeviceInfo* *info)
`SetBroadcastCallback` response callback function.

Parameters

- `info`: information of the broadcast device, becomes invalid after the function returns.

void **SetBroadcastCallback**(*DeviceBroadcastCallback* *cb*)
Set the callback of listening device broadcast message. When broadcast message is received from Livox Hub/LiDAR, cb is called.

Parameters

- `cb`: callback for device broadcast.

typedef void (***DeviceStateUpdateCallback**)(**const** *DeviceInfo* *device, *DeviceEvent* type)
`SetDeviceStateUpdateCallback` response callback function.

Parameters

- `device`: information of the connected device.
- `type`: the update type that indicates connection/disconnection of the device or change of working state.

void **SetDeviceStateUpdateCallback**(*DeviceStateUpdateCallback* *cb*)
Add a callback for device connection or working state changing event.

Note Livox SDK supports two hardware connection modes. 1: Directly connecting to the LiDAR device; 2. Connecting to the LiDAR device(s) via the Livox Hub. In the first mode, connection/disconnection of every LiDAR unit is reported by this callback. In the second mode, only connection/disconnection of the Livox Hub is reported by this callback. If you want to get information of the LiDAR unit(s) connected to hub, see HubQueryLidarInformation.

Note 3 conditions can trigger this callback:

1. Connection and disconnection of device.
2. A change of device working state.
3. An error occurs.

Parameters

- `cb`: callback for device connection/disconnection.

livox_status **AddHubToConnect**(**const** char **broadcast_code*, uint8_t **handle*)
Add a broadcast code to the connecting list and only devices with broadcast code in this list will be connected. The broadcast code is unique for every device.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `broadcast_code`: device's broadcast code.

- `handle`: device handle. For Livox Hub, the handle is always 31; for LiDAR units connected to the Livox Hub, the corresponding handle is (slot-1)*3+id-1.

livox_status **AddLidarToConnect**(**const** char **broadcast_code*, uint8_t **handle*)

Add a broadcast code to the connecting list and only devices with broadcast code in this list will be connected. The broadcast code is unique for every device.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `broadcast_code`: device's broadcast code.
- `handle`: device handle. The handle is the same as the order calling AddLidarToConnect starting from 0.

livox_status **GetConnectedDevices**(*DeviceInfo* **devices*, uint8_t **size*)

Get all connected devices' information.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `devices`: list of connected devices' information.
- `size`: number of devices connected.

CHAPTER

TWO

GENERAL FUNCTIONS

2.1 Query Device Information

struct DeviceInformationResponse
The response body of querying device information.

Public Members

uint8_t **ret_code**
Return code.

uint8_t **firmware_version**[4]
Firmware version.

typedef void (***DeviceInformationCallback**) (*livox_status* status, uint8_t handle, *DeviceInformationResponse* *response, void *client_data)
Function type of callback that queries device's information.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

livox_status **QueryDeviceInformation**(uint8_t *handle*, *DeviceInformationCallback* *cb*, void **client_data*)
Command to query device's information.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

2.2 Receive Point Cloud Data

struct LivoxEthPacket
Point cloud packet.

Public Members

uint8_t **version**
Packet protocol version.

uint8_t **slot**
Slot number used for connecting LiDAR.

uint8_t **id**
LiDAR id.

uint8_t **rsvd**
Reserved.

uint32_t **err_code**
Device error status indicator information.

uint8_t **timestamp_type**
Timestamp type.

uint8_t **data_type**
Point cloud coordinate format, refer to *PointDataType* .

uint8_t **timestamp**[8]
Nanosecond or UTC format timestamp.

uint8_t **data**[1]
Point cloud data.

typedef void (***DataCallback**)(uint8_t handle, *LivoxEthPacket* *data, uint32_t data_num, void *client_data)
Callback function for receiving point cloud data.

Parameters

- `handle`: device handle.
- `data`: device's data.
- `data_num`: number of points in data.
- `client_data`: user data associated with the command.

void **SetDataCallback**(uint8_t *handle*, *DataCallback* *cb*, void **client_data*)
Set the callback to receive point cloud data. Only one callback is supported for a specific device. Set the point cloud data callback before beginning sampling.

Parameters

- `handle`: device handle.
- `cb`: callback to receive point cloud data.
- `client_data`: user data associated with the command.

livox_status **HubGetLidarHandle**(uint8_t *slot*, uint8_t *id*)
Get the LiDAR unit handle used in the Livox Hub data callback function from slot and id.

Return LiDAR unit handle.

Parameters

- `slot`: Livox Hub's slot.

- `id`: Livox Hub's id.

2.3 Set Coordinate System

livox_status **SetCartesianCoordinate**(uint8_t *handle*, *CommonCommandCallback* *cb*, void **client_data*)

Change point cloud coordinate system to cartesian coordinate.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

livox_status **SetSphericalCoordinate**(uint8_t *handle*, *CommonCommandCallback* *cb*, void **client_data*)

Change point cloud coordinate system to spherical coordinate.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

2.4 Error Message From Device

union ErrorMessage

#include <*livox_def.h*> Device error message.

Public Members

uint32_t **error_code**

Error code.

LidarErrorCode **lidar_error_code**

Lidar error code.

HubErrorCode **hub_error_code**

Hub error code.

struct LidarErrorCode

LiDAR error code.

Public Members

uint32_t **temp_status** : 2
0: Temperature in Normal State. 1: High or Low. 2: Extremely High or Extremely Low.

uint32_t **volt_status** : 2
0: Voltage in Normal State. 1: High. 2: Extremely High.

uint32_t **motor_status** : 2
0: Motor in Normal State. 1: Motor in Warning State. 2:Motor in Error State, Unable to Work.

uint32_t **dirty_warn** : 2
0: Not Dirty or Blocked. 1: Dirty or Blocked.

uint32_t **firmware_err** : 1
0: Firmware is OK. 1: Firmware is Abnormal, Need to be Upgraded.

uint32_t **pps_status** : 1
0: No PPS Signal. 1: PPS Signal is OK.

uint32_t **device_status** : 1
0: Normal. 1: Warning for Approaching the End of Service Life.

uint32_t **fan_status** : 1
0: Fan in Normal State. 1: Fan in Warning State.

uint32_t **self_heating** : 1
0: Normal. 1: Low Temperature Self Heating On.

uint32_t **ptp_status** : 1
0: No 1588 Signal. 1: 1588 Signal is OK.

uint32_t **time_sync_status** : 3
0: System dose not start time synchronization. 1: Using PTP 1588 synchronization. 2: Using GPS synchronization. 3: Using PPS synchronization. 4: System time synchronization is abnormal.(The highest priority synchronization signal is abnormal)

uint32_t **rsvd** : 13
Reserved.

uint32_t **system_status** : 2
0: Normal. 1: Warning. 2: Error.

struct HubErrorCode
Hub error code.

Public Members

uint32_t **sync_status** : 2
0: No synchronization signal. 1: 1588 synchronization. 2: GPS synchronization. 3: System time synchronization is abnormal.(The highest priority synchronization signal is abnormal)

uint32_t **temp_status** : 2
0: Temperature in Normal State. 1: High or Low. 2: Extremely High or Extremely Low.

uint32_t **lidar_status** : 1
0: LiDAR State is Normal. 1: LiDAR State is Abnormal.

uint32_t **lidar_link_status** : 1
0: LiDAR Connection is Normal. 1: LiDAR Connection is Abnormal.

uint32_t **firmware_err** : 1
0: LiDAR Firmware is OK. 1: LiDAR Firmware is Abnormal, Need to be Upgraded.

uint32_t **rsvd** : 23
Reserved.

uint32_t **system_status** : 2
0: Normal. 1: Warning. 2: Error.

typedef void (***ErrorMessageCallback**) (*livox_status* status, uint8_t handle, *ErrorMessage* *message)
Callback of the error status message. kStatusSuccess on successful return, see *LivoxStatus* for other

Parameters

- `handle`: device handle.
- `response`: response from the device.

livox_status **SetErrorMessageCallback** (uint8_t *handle*, *ErrorMessageCallback* *cb*)
Add error status callback for the device. error code.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.

2.5 Configure Static/Dynamic IP

struct SetDeviceIPModeRequest
The request body of the command for setting device's IP mode.

Public Members

uint8_t **ip_mode**
IP address mode: 0 for dynamic IP address, 1 for static IP address.

uint32_t **ip_addr**
IP address.

livox_status **SetStaticDynamicIP** (uint8_t *handle*, *SetDeviceIPModeRequest* *req, *CommonCommandCallback* *cb*, void **client_data*)
Set device's IP mode.

Note *SetStaticDynamicIP* only supports setting Hub or Mid40/100's IP mode. If you want to set Horizon or Tele's IP mode, see *SetStaticIp* and *SetDynamicIp*.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `req`: request sent to device.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

struct SetStaticDeviceIpModeRequest
The request body of the command for setting static device's IP mode.

Public Members

uint32_t **ip_addr**
IP address.

uint32_t **net_mask**
Subnet mask.

uint32_t **gw_addr**
Gateway address.

livox_status **SetStaticIp**(uint8_t *handle*, *SetStaticDeviceIpModeRequest* *req, *CommonCommandCallback* *cb*, void **client_data*)
Set device's static IP mode.

Note Mid40/100 is not supported to set subnet mask and gateway address. *SetStaticDeviceIpModeRequest*'s setting: net_mask and gw_addr will not take effect on Mid40/100.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `req`: request sent to device.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

livox_status **SetDynamicIp**(uint8_t *handle*, *CommonCommandCallback* *cb*, void **client_data*)
Set device's dynamic IP mode.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

struct GetDeviceIpModeResponse
The response body of getting device's IP mode.

Public Members

uint8_t **ret_code**
Return code.

uint8_t **ip_mode**
IP address mode: 0 for dynamic IP address, 1 for static IP address.

uint32_t **ip_addr**
IP address.

uint32_t **net_mask**
Subnet mask.

uint32_t **gw_addr**
Gateway address.

typedef void (***GetDeviceIpInformationCallback**)(*livox_status* status, uint8_t handle, *GetDeviceIpModeResponse* *response, void *client_data)
Callback function that gets device's IP information.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

livox_status **GetDeviceIpInformation**(uint8_t *handle*, *GetDeviceIpInformationCallback* *cb*, void **client_data*)

Get device's IP mode.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

2.6 Disconnect Device

livox_status **DisconnectDevice**(uint8_t *handle*, *CommonCommandCallback* *cb*, void **client_data*)

Disconnect divice.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

2.7 Reboot Device

livox_status **RebootDevice**(uint8_t *handle*, uint16_t *timeout*, *CommonCommandCallback* *cb*, void **client_data*)

Reboot device.

Note *RebootDevice* is not supported for Mid40/100 firmware version < 03.07.0000.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `timeout`: reboot device after [timeout] ms.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

2.8 Enable or Disable LiDAR HighSensetivity Mode

livox_status **LidarEnableHighSensitivity**(uint8_t *handle*, SetDeviceParametersCallback *cb*, void **client_data*)

LiDAR Enable HighSensitivity.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

livox_status **LidarDisableHighSensitivity**(uint8_t *handle*, SetDeviceParametersCallback *cb*, void **client_data*)

LiDAR Disable HighSensitivity.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

livox_status **LidarGetHighSensitivityState**(uint8_t *handle*, GetDeviceParametersCallback *cb*, void **client_data*)

LiDAR Get HighSensitivity State.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

2.9 Reset LiDAR/Hub's All Parameters

livox_status **DeviceResetAllParameters**(uint8_t *handle*, *CommonCommandCallback* *cb*, void **client_data*)

Reset LiDAR/Hub's All Parameters, see *DeviceParamKeyName* for all parameters.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

CHAPTER

THREE

LIVOX HUB FUNCTIONS

3.1 Query Connected LiDAR Unit Information

struct ConnectedLidarInfo
The information of LiDAR units that are connected to the Livox Hub.

Public Members

char **broadcast_code**[16]
Device broadcast code, null-terminated string, 15 characters at most.

uint8_t **dev_type**
Device type, refer to *DeviceType*.

uint8_t **version**[4]
Firmware version.

uint8_t **slot**
Slot number used for connecting LiDAR units.

uint8_t **id**
Device id.

struct HubQueryLidarInformationResponse
The response body of querying the information of LiDAR units connected to the Livox Hub.

Public Members

uint8_t **ret_code**
Return code.

uint8_t **count**
Count of device_info_list.

ConnectedLidarInfo **device_info_list**[1]
Connected lidars information list.

typedef void (***HubQueryLidarInformationCallback**) (*livox_status* status, uint8_t handle, *HubQueryLidarInformationResponse* *response, void *client_data)
`HubQueryLidarInformation` response callback function.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.

- `client_data`: user data associated with the command.

3.2 Configure LiDAR Unit Mode

struct HubSetModeResponse
The response of setting Livox Hub's working mode.

Public Members

uint8_t **ret_code**
Return code.

uint8_t **count**
Count of ret_state_list.

ReturnCode **ret_state_list**[1]
Return status list.

typedef void (***HubSetModeCallback**) (*livox_status* status, uint8_t handle, *HubSetModeResponse* *response, void *client_data)
`HubSetMode` response callback function.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

struct HubSetModeRequest
The request body of setting Livox Hub's working mode.

Public Members

uint8_t **count**
Count of config_list.

LidarModeRequestItem **config_list**[1]
LiDAR mode configuration list.

struct LidarModeRequestItem
LiDAR mode configuration information.

Public Members

char **broadcast_code**[16]
Device broadcast code, null-terminated string, 15 characters at most.

uint8_t **state**
LiDAR state, refer to *LidarMode*.

livox_status **HubSetMode** (*HubSetModeRequest* **req*, uint16_t *length*, *HubSetModeCallback* *cb*, void **client_data*)
Set the mode of LiDAR unit connected to the Livox Hub.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `req`: mode configuration of LiDAR units.
- `length`: length of req.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

3.3 Query LiDAR Unit Status

struct LidarStateItem

Public Members

char **broadcast_code**[16]
Broadcast code.

uint8_t **state**
LiDAR state.

uint8_t **feature**
LiDAR feature.

StatusUnion **error_union**
LiDAR work state.

struct HubQueryLidarStatusResponse
The response body of getting sub LiDAR's state conneted to Hub.

Public Members

uint8_t **ret_code**
Return code.

uint8_t **count**
Count of state_list.

LidarStateItem **state_list**[1]
LiDAR units state list.

typedef void (***HubQueryLidarStatusCallback**)(*livox_status* status, uint8_t handle, *HubQueryLidarStatusResponse* *response, void *client_data)
`HubQueryLidarStatus` response callback function.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

livox_status **HubQueryLidarStatus**(*HubQueryLidarStatusCallback cb*, void **client_data*)
Get the state of LiDAR units connected to the Livox Hub.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `cb`: callback for the command.

- `client_data`: user data associated with the command.

3.4 Sampling Control

typedef void (***CommonCommandCallback**)(*livox_status* status, uint8_t handle, uint8_t response, void *client_data)

Function type of callback with 1 byte of response.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

livox_status **HubStartSampling**(*CommonCommandCallback* *cb*, void **client_data*)

Start hub sampling.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `cb`: callback for the command.
- `client_data`: user data associated with the command.

livox_status **HubStopSampling**(*CommonCommandCallback* *cb*, void **client_data*)

Stop the Livox Hub's sampling.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `cb`: callback for the command.
- `client_data`: user data associated with the command.

3.5 Slot Power Control

struct HubControlSlotPowerRequest

The request body of toggling the power supply of the slot.

Public Members

uint8_t **slot**

Slot of the hub.

uint8_t **state**

Status of toggling the power supply.

livox_status **HubControlSlotPower**(*HubControlSlotPowerRequest* **req*, *CommonCommandCallback* *cb*, void **client_data*)

Toggle the power supply of designated slots.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `req`: request whether to enable or disable the power of designated slots.
- `cb`: callback for the command.

- `client_data`: user data associated with the command.

struct HubQuerySlotPowerStatusResponse
The response body of getting Hub slots' power state.

Public Members

uint8_t **ret_code**
Return code.

uint16_t **slot_power_state**
Slot power status.

typedef void (***HubQuerySlotPowerStatusCallback**)(*livox_status* status, uint8_t handle, *HubQuerySlotPowerStatusResponse* *response, void *client_data)
`HubQuerySlotPowerStatus` response callback function.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

livox_status **HubQuerySlotPowerStatus**(*HubQuerySlotPowerStatusCallback* *cb*, void **client_data*)
Get the power supply state of each hub slot.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `cb`: callback for the command.
- `client_data`: user data associated with the command.

3.6 Configure Livox Hub Extrinsic Parameters

struct HubSetExtrinsicParameterResponse
The response body of setting the Livox Hub's parameters.

Public Members

uint8_t **ret_code**
Return code.

uint8_t **count**
Count of ret_code_list.

ReturnCode **ret_code_list**[1]
Return code list.

typedef void (***HubSetExtrinsicParameterCallback**)(*livox_status* status, uint8_t handle, *HubSetExtrinsicParameterResponse* *response, void *client_data)
`HubSetExtrinsicParameter` response callback function.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

struct HubSetExtrinsicParameterRequest
The request body of setting the Livox Hub's parameters.

Public Members

uint8_t **count**
Count of cfg_param_list.

ExtrinsicParameterRequestItem **parameter_list**[1]
Extrinsic parameter configuration list.

struct ExtrinsicParameterRequestItem
LiDAR configuration information.

Public Members

char **broadcast_code**[16]
Device broadcast code.

float **roll**
Roll angle, unit: degree.

float **pitch**
Pitch angle, unit: degree.

float **yaw**
Yaw angle, unit: degree.

int32_t **x**
X translation, unit: mm.

int32_t **y**
Y translation, unit: mm.

int32_t **z**
Z translation, unit: mm.

livox_status **HubSetExtrinsicParameter**(*HubSetExtrinsicParameterRequest* *req, uint16_t length, *HubSetExtrinsicParameterCallback* cb, void *client_data)
Set extrinsic parameters of LiDAR units connected to the Livox Hub.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `req`: the parameters to write.
- `length`: the request's length.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

struct HubGetExtrinsicParameterRequest
The request body of getting the Livox Hub's parameters.

Public Members

uint8_t **count**
Count of code_list.

DeviceBroadcastCode **code_list**[1]
Broadcast code list.

struct DeviceBroadcastCode

Public Members

char **broadcast_code**[16]
Device broadcast code.

struct HubGetExtrinsicParameterResponse
The response body of getting the Livox Hub's parameters.

Public Members

uint8_t **ret_code**
Return code.

uint8_t **count**
Count of code_list.

ExtrinsicParameterResponseItem **parameter_list**[1]
Extrinsic parameter list.

struct ExtrinsicParameterResponseItem
LiDAR extrinsic parameters.

Public Members

uint8_t **ret_code**
Return code.

char **broadcast_code**[16]
Broadcast code.

float **roll**
Roll angle, unit: degree.

float **pitch**
Pitch angle, unit: degree.

float **yaw**
Yaw angle, unit: degree.

int32_t **x**
X translation, unit: mm.

int32_t **y**
Y translation, unit: mm.

int32_t **z**
Z translation, unit: mm.

typedef void (***HubGetExtrinsicParameterCallback**)(*livox_status* status, uint8_t handle, *HubGetExtrinsicParameterResponse* *response, void *client_data)
`HubGetExtrinsicParameter` response callback function.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

livox_status **HubGetExtrinsicParameter**(*HubGetExtrinsicParameterCallback* *cb*, void **client_data*)

Get extrinsic parameters of LiDAR units connected to the Livox Hub.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `cb`: callback for the command.
- `client_data`: user data associated with the command.

3.7 Enable Hub Calculating Extrinsic Parameters

livox_status **HubExtrinsicParameterCalculation**(bool *enable*, *CommonCommandCallback* *cb*, void **client_data*)

Turn on or off the calculation of extrinsic parameters.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `enable`: the request whether enable or disable calculating the extrinsic parameters.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

3.8 Enable or Disable The Rain/Fog Suppression

struct RainFogSuppressRequestItem

Public Members

char **broadcast_code**[16]
Device broadcast code.

uint8_t **feature**
Close or open the rain and fog feature.

struct HubRainFogSuppressRequest
The request body of toggling the Livox Hub's rain and fog mode.

Public Members

uint8_t **count**
Count of lidar_cfg_list.

RainFogSuppressRequestItem **lidar_cfg_list**[1]
Rain fog suppress configuration list.

struct HubRainFogSuppressResponse
The response body of toggling the Livox Hub's rain and fog mode.

Public Members

uint8_t **ret_code**
Return code.

uint8_t **count**
Count of ret_state_list.

ReturnCode **ret_state_list**[1]
Return state list

typedef void (***HubRainFogSuppressCallback**)(*livox_status* status, uint8_t handle, *HubRainFogSuppressResponse* *response, void *client_data)
`HubRainFogSuppress` response callback function.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

livox_status **HubRainFogSuppress**(*HubRainFogSuppressRequest* **req*, uint16_t *length*, *HubRainFogSuppressCallback* *cb*, void **client_data*)
Toggling the rain and fog mode for lidars connected to the hub.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `req`: the request whether open or close the rain and fog mode.
- `length`: the request's length.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

3.9 Turn On or Off Fan of LiDAR Unit

struct FanControlRequestItem

Public Members

char **broadcast_code**[16]
Device broadcast code.

uint8_t **state**
Fan state: 1 for turn on fan, 0 for turn off fan.

struct HubFanControlRequest
The request body of controlling the sub LiDAR's fan state conneted to Hub.

Public Members

uint8_t **count**
Count of lidar_cfg_list.

FanControlRequestItem **lidar_cfg_list**[1]
Fan control configuration list.

struct HubFanControlResponse
The response body of controlling the sub LiDAR's fan state conneted to Hub.

Public Members

uint8_t **ret_code**
Return code.

uint8_t **count**
Count of return_list.

ReturnCode **return_list**[1]
Return list

typedef void (***HubFanControlCallback**)(*livox_status* status, uint8_t handle, *HubFanControlResponse* *response, void *client_data)
`HubFanControl` response callback function.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

livox_status **HubFanControl**(*HubFanControlRequest* *req, uint16_t *length*, *HubFanControlCallback* *cb*, void **client_data*)
Turn on or off the fan of LiDAR unit connected to the Livox Hub.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `req`: Fan control of LiDAR units.
- `length`: length of req.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

struct GetFanStateRequestItem

Public Members

char **broadcast_code**[16]
Device broadcast code.

struct HubGetFanStateRequest
The request body of getting the sub LiDAR's fan state conneted to Hub.

Public Members

uint8_t **count**
Count of lidar_cfg_list.

GetFanStateRequestItem **lidar_cfg_list**[1]
Get Fan state list.

struct GetFanStateResponseItem

Public Members

uint8_t **ret_code**
Return code.

char **broadcast_code**[16]
Device broadcast code.

uint8_t **state**
Fan state: 1 for fan is on, 0 for fan is off.

struct HubGetFanStateResponse
The response body of getting the sub LiDAR's fan state conneted to Hub.

Public Members

uint8_t **ret_code**
Return code.

uint8_t **count**
Count of return_list.

GetFanStateResponseItem **return_list**[1]
Fan state list.

typedef void (***HubGetFanStateCallback**)(*livox_status* status, uint8_t handle, *HubGetFanStateResponse* *response, void *client_data)
`HubGetFanControl` response callback function.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

livox_status **HubGetFanState**(*HubGetFanStateRequest* *req, uint16_t *length*, *HubGetFanStateCallback* *cb*, void **client_data*)
Get fan state of LiDAR unit connected to the Livox Hub.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `req`: Get fan state of LiDAR units.
- `length`: length of req.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

3.10 Config Point Cloud Return Mode of LiDAR Unit

struct SetPointCloudReturnModeRequestItem

Public Members

char **broadcast_code**[16]
Device broadcast code.

uint8_t **mode**
Point cloud return mode, refer to *PointCloudReturnMode*.

struct HubSetPointCloudReturnModeRequest
The request body of setting point cloud return mode of sub LiDAR conneted to Hub.

Public Members

uint8_t **count**
Count of lidar_cfg_list.

SetPointCloudReturnModeRequestItem **lidar_cfg_list**[1]
Point cloud return mode configuration list.

struct HubSetPointCloudReturnModeResponse
The response body of setting point cloud return mode of sub LiDAR conneted to Hub.

Public Members

uint8_t **ret_code**
Return code.

uint8_t **count**
Count of return_list.

ReturnCode **return_list**[1]
Return list.

typedef void (***HubSetPointCloudReturnModeCallback**) (*livox_status* status, uint8_t handle, *HubSetPointCloudReturnModeResponse* *response, void *client_data)
`HubSetPointCloudReturnMode` response callback function.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

livox_status **HubSetPointCloudReturnMode**(*HubSetPointCloudReturnModeRequest* *req, uint16_t *length*, *HubSetPointCloudReturnModeCallback* *cb*, void *client_data*)

Set point cloud return mode of LiDAR units connected to the Livox Hub.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `req`: set point cloud return mode of LiDAR units.
- `length`: the request's length.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

struct GetPointCloudReturnModeRequestItem

Public Members

char **broadcast_code**[16]
Device broadcast code.

struct HubGetPointCloudReturnModeRequest
The request body of getting sub LiDAR's point cloud return mode conneted to Hub.

Public Members

uint8_t **count**
Count of lidar_cfg_list.

GetPointCloudReturnModeRequestItem **lidar_cfg_list**[1]
Get point cloud return mode list.

struct GetPointCloudReturnModeResponseItem

Public Members

uint8_t **ret_code**
Return code.

char **broadcast_code**[16]
Device broadcast code.

uint8_t **mode**
Point cloud return mode, refer to *PointCloudReturnMode*.

struct HubGetPointCloudReturnModeResponse
The response body of getting sub LiDAR's point cloud return mode conneted to Hub.

Public Members

uint8_t **ret_code**
Return code.

uint8_t **count**
Count of return_list.

GetPointCloudReturnModeResponseItem **return_list**[1]
Point cloud return mode list.

typedef void (***HubGetPointCloudReturnModeCallback**) (*livox_status* status, uint8_t handle, *HubGetPointCloudReturnModeResponse* *response, void *client_data)

`HubGetPointCloudReturnMode` response callback function.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

livox_status **HubGetPointCloudReturnMode** (*HubGetPointCloudReturnModeRequest* **req*, uint16_t *length*, *HubGetPointCloudReturnModeCallback* *cb*, void **client_data*)

Get point cloud return mode of LiDAR unit connected to the Livox Hub.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `req`: Get point cloud return mode of LiDAR units.
- `length`: length of req.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

3.11 Config IMU Push Frequency of LiDAR Unit

struct SetImuPushFrequencyRequestItem

Public Members

char **broadcast_code**[16]
Device broadcast code.

uint8_t **freq**
IMU push frequency, refer to *ImuFreq*.

struct HubSetImuPushFrequencyRequest
The request body of setting IMU push frequency of sub LiDAR conneted to Hub.

Public Members

uint8_t **count**
Count of lidar_cfg_list.

SetImuPushFrequencyRequestItem **lidar_cfg_list**[1]
IMU push frequency configuration list.

struct HubSetImuPushFrequencyResponse
The response body of setting IMU push frequency of sub LiDAR conneted to Hub.

Public Members

uint8_t **ret_code**
Return code.

uint8_t **count**
Count of return_list.

ReturnCode **return_list**[1]
Return list.

typedef void (***HubSetImuPushFrequencyCallback**) (*livox_status* status, uint8_t handle, *HubSetImuPushFrequencyResponse* *response, void *client_data)
`HubSetImuPushFrequency` response callback function.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

livox_status **HubSetImuPushFrequency** (*HubSetImuPushFrequencyRequest* **req*, uint16_t *length*, *HubSetImuPushFrequencyCallback* *cb*, void **client_data*)
Set IMU push frequency of LiDAR units connected to the Livox Hub.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `req`: set IMU push frequency of LiDAR units.
- `length`: the request's length.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

struct GetImuPushFrequencyRequestItem

Public Members

char **broadcast_code**[16]
Device broadcast code.

struct HubGetImuPushFrequencyRequest
The request body of getting sub LiDAR's IMU push frequency conneted to Hub.

Public Members

uint8_t **count**
Count of lidar_cfg_list.

GetImuPushFrequencyRequestItem **lidar_cfg_list**[1]
Get IMU push frequency list.

struct GetImuPushFrequencyResponseItem

Public Members

uint8_t **ret_code**
Return code.

char **broadcast_code**[16]
Device broadcast code.

uint8_t **freq**
IMU push frequency, refer to *ImuFreq*.

struct HubGetImuPushFrequencyResponse
The response body of getting sub LiDAR's IMU push frequency conneted to Hub.

Public Members

uint8_t **ret_code**
Return code.

uint8_t **count**
Count of return_list.

GetImuPushFrequencyResponseItem **return_list**[1]
IMU push frequency list.

typedef void (***HubGetImuPushFrequencyCallback**) (*livox_status* status, uint8_t handle, *HubGetImuPushFrequencyResponse* *response, void *client_data)
`HubGetImuPushFrequency` response callback function.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

livox_status **HubGetImuPushFrequency** (*HubGetImuPushFrequencyRequest* **req*, uint16_t *length*, *HubGetImuPushFrequencyCallback* *cb*, void **client_data*)
Get IMU push frequency of LiDAR units connected to the Livox Hub.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `req`: get IMU push frequency of LiDAR units.
- `length`: the request's length.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

CHAPTER

FOUR

LIDAR FUNCTIONS

4.1 Configure LiDAR Mode

enum LidarMode
Lidar mode.

Values:

kLidarModeNormal = 1
Normal mode.

kLidarModePowerSaving = 2
Power-saving mode.

kLidarModeStandby = 3
Standby mode.

livox_status **LidarSetMode**(uint8_t *handle*, *LidarMode* *mode*, *CommonCommandCallback* *cb*, void **client_data*)
Set LiDAR mode.

Note Successful callback function status only means LiDAR successfully starting the changing process of mode. You need to observe the actually change of mode in DeviceStateUpdateCallback function.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `mode`: the mode to change.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

4.2 Sample Control

livox_status **LidarStartSampling**(uint8_t *handle*, *CommonCommandCallback* *cb*, void **client_data*)
Start LiDAR sampling.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

livox_status **LidarStopSampling**(uint8_t *handle*, *CommonCommandCallback* *cb*, void **client_data*)
Stop LiDAR sampling.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

4.3 Configure LiDAR Extrinsic Parameters

struct LidarSetExtrinsicParameterRequest
The request body for the command of setting Livox LiDAR's parameters.

Public Members

float **roll**
Roll angle, unit: degree.

float **pitch**
Pitch angle, unit: degree.

float **yaw**
Yaw angle, unit: degree.

int32_t **x**
X translation, unit: mm.

int32_t **y**
Y translation, unit: mm.

int32_t **z**
Z translation, unit: mm.

livox_status **LidarSetExtrinsicParameter**(uint8_t *handle*, *LidarSetExtrinsicParameterRequest* **req*, *CommonCommandCallback* *cb*, void **client_data*)
Set LiDAR extrinsic parameters.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `req`: the parameters to write.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

struct LidarGetExtrinsicParameterResponse
The response body of getting Livox LiDAR's parameters.

Public Members

uint8_t **ret_code**

float **roll**
Roll angle, unit: degree.

float **pitch**
Pitch angle, unit: degree.

float **yaw**
Yaw angle, unit: degree.

int32_t **x**
X translation, unit: mm.

int32_t **y**
Y translation, unit: mm.

int32_t **z**
Z translation, unit: mm.

typedef void (***LidarGetExtrinsicParameterCallback**)(*livox_status* status, uint8_t handle, *LidarGetExtrinsicParameterResponse* *response, void *client_data)
`LidarGetExtrinsicParameter` response callback function.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

livox_status **LidarGetExtrinsicParameter**(uint8_t *handle*, *LidarGetExtrinsicParameterCallback* *cb*, void **client_data*)
Get LiDAR extrinsic parameters.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

4.4 Enable and Disable the Rain/Fog Suppression

livox_status **LidarRainFogSuppress**(uint8_t *handle*, bool *enable*, *CommonCommandCallback* *cb*, void **client_data*)
Enable and disable the rain/fog suppression.

Note *LidarRainFogSuppress* only support for Mid40/100.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `enable`: enable and disable the rain/fog suppression.

- `cb`: callback for the command.
- `client_data`: user data associated with the command.

4.5 Turn On or Off LiDAR's Fan

livox_status **LidarTurnOnFan** (uint8_t *handle*, *CommonCommandCallback* *cb*, void **client_data*)
Turn on the fan.

Note *LidarTurnOnFan* is not supported for Mid40/100.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

livox_status **LidarTurnOffFan** (uint8_t *handle*, *CommonCommandCallback* *cb*, void **client_data*)
Turn off the fan.

Note *LidarTurnOffFan* is not supported for Mid40/100.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

struct LidarGetFanStateResponse
The response body of getting the Livox LiDAR's fan state.

Public Members

uint8_t **ret_code**
Return code.

uint8_t **state**
Fan state: 1 for fan is on, 0 for fan is off.

typedef void (***LidarGetFanStateCallback**) (*livox_status* status, uint8_t handle, *LidarGetFanStateResponse* *response, void *client_data)
`LidarGetFanState` response callback function.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

livox_status **LidarGetFanState** (uint8_t *handle*, *LidarGetFanStateCallback* *cb*, void **client_data*)
Get state of the fan.

Note *LidarGetFanState* is not supported for Mid40/100.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

4.6 Config LiDAR's Point Cloud Return Mode

livox_status **LidarSetPointCloudReturnMode**(uint8_t *handle*, *PointCloudReturnMode* *mode*, *CommonCommandCallback* *cb*, void **client_data*)

Set point cloud return mode.

Note *LidarSetPointCloudReturnMode* is not supported for Mid40/100.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `mode`: point cloud return mode.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

struct LidarGetPointCloudReturnModeResponse

The response body of getting the Livox LiDAR's point cloud return mode.

Public Members

uint8_t **ret_code**

Return code.

uint8_t **mode**

Point cloud return mode, refer to *PointCloudReturnMode*.

typedef void (***LidarGetPointCloudReturnModeCallback**)(*livox_status* status, uint8_t handle, *LidarGetPointCloudReturnModeResponse* *response, void *client_data)

`LidaGetPointCloudReturnMode` response callback function.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

livox_status **LidarGetPointCloudReturnMode**(uint8_t *handle*, *LidarGetPointCloudReturnModeCallback* *cb*, void **client_data*)

Get point cloud return mode.

Note *LidarGetPointCloudReturnMode* is not supported for Mid40/100.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.

- `cb`: callback for the command.
- `client_data`: user data associated with the command.

4.7 Config LiDAR's IMU Push Frequency

livox_status **LidarSetImuPushFrequency**(uint8_t *handle*, *ImuFreq* *freq*, *CommonCommandCallback* *cb*, void **client_data*)

Set IMU push frequency.

Note *LidarSetImuPushFrequency* is not supported for Mid40/100.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `freq`: IMU push frequency.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

struct LidarGetImuPushFrequencyResponse

The response body of getting the Livox LiDAR's IMU push frequency.

Public Members

uint8_t **ret_code**

Return code.

uint8_t **freq**

IMU push frequency, refer to *ImuFreq*.

typedef void (***LidarGetImuPushFrequencyCallback**)(*livox_status* status, uint8_t handle, *LidarGetImuPushFrequencyResponse* *response, void *client_data)

`LidaGetImuPushFrequency` response callback function.

Parameters

- `status`: kStatusSuccess on successful return, kStatusTimeout on timeout, see *LivoxStatus* for other error code.
- `handle`: device handle.
- `response`: response from the device.
- `client_data`: user data associated with the command.

livox_status **LidarGetImuPushFrequency**(uint8_t *handle*, *LidarGetImuPushFrequencyCallback* *cb*, void **client_data*)

Get IMU push frequency.

Note *LidarGetImuPushFrequency* is not supported for Mid40/100.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

4.8 Config LiDAR's UTC Sychronization

livox_status **LidarSetRmcSyncTime**(uint8_t *handle*, **const** char **rmc*, uint16_t *rmc_length*, *CommonCommandCallback* *cb*, void **client_data*)

Set GPRMC formate synchronization time.

Note *LidarSetRmcSyncTime* is not supported for Mid40/100 firmware version < 03.07.0000.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `rmc`: GPRMC format data.
- `rmc_length`: lenth of gprmc.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

struct LidarSetUtcSyncTimeRequest

The response body of setting the Livox LiDAR's Sync time.

Public Members

uint8_t **year**

uint8_t **month**

uint8_t **day**

uint8_t **hour**

uint32_t **mircrosecond**

livox_status **LidarSetUtcSyncTime**(uint8_t *handle*, *LidarSetUtcSyncTimeRequest* **req*, *CommonCommandCallback* *cb*, void **client_data*)

Set UTC formate synchronization time.

Note *LidarSetUtcSyncTime* is not supported for Mid40/100 firmware version < 03.07.0000.

Return kStatusSuccess on successful return, see *LivoxStatus* for other error code.

Parameters

- `handle`: device handle.
- `req`: UTC format data.
- `cb`: callback for the command.
- `client_data`: user data associated with the command.

INDEX

E

F

G

H

I

K

L

P

Q

R

S

T

U