

V1.2

Using a 32-bit motor driver chip and Field-Oriented Control (FOC), the RoboMaster C600 Brushless DC Motor Speed Controller enables precise control over motor torque.



Exclusively designed for the RoboMaster M6000 PMS Brushless DC Motor Starter and C600 Brushless DC Motor Speed Controller, this M6000 Assembly Kit includes several wheels and a bracket board.

RoboMaster System Specification Manual, RoboMaster User Manual, Introduction of RoboMaster System Module

60 M6000 Assembly Kit includes several wheels and a bracket board, supporting a complete assembly system solution for four independent robots.

ROBOMASTER 2023 UNIVERSITY LEAGUE

RULES MANUAL

Prepared by the RoboMaster Organizing Committee

Updated in April 2023

Intellectual Property Statement

The RoboMaster Organizing Committee (RMOC) encourages and promotes technical innovation and open-source technology, and respects the intellectual property rights of participating teams. All rights related to the intellectual property developed during the competition are owned by individual teams. The RMOC will not participate in the handling of intellectual property disputes within the team. The participating teams must properly handle all aspects of intellectual property rights among internal school members, company members and other members of the team.





While using the RoboMaster referee system and other supporting materials provided by the RMOC, teams should respect the ownership of all intellectual property. Teams are also prohibited from engaging in any behavior that violates intellectual property rights, including but not limited to reverse engineering, replication or translation.

Any behavior that may infringe upon the intellectual property rights of the RMOC or other organizers in relation to the provided educational materials for the competition will be investigated and affixed legal liability in strict accordance with the law.







For suggestions on open-source materials, please refer to: <https://bbs.robomaster.com/thread-7026-1-1.html>.

Using this Manual

Legend

 Prohibition	 Important notes	 Hints and tips	 Definitions and references
“√” Applicable	“-” Not applicable		

Legend for Battlefield Drawings

		
Buff point for both sides	Buff point for one side	Both sides penalty zone
		
One side penalty zone	The plane on which the Battlefield is located is its lowest plane	Dimensions are for reference only

Change Log

Date	Version	Release Notes
2023.04.20	V1.2	<ol style="list-style-type: none"> Added new rules for reloading by Sentry Robots. Added new descriptions for Base light effects. Added new winning criteria for 3v3 Match. Added relevant descriptions for robot repairs between rounds in a BO5 match. Added new projectile-reloading requirements for reloading operators. Added reference materials appendix.
2023.01.13	V1.1	<ol style="list-style-type: none"> Revised some important terms, including: Destroy and Buff Point Revised the table on the HP Deduction Mechanism of robots Revised the HP Deduction Mechanism for Critical Referee System Modules Going Offline Fixed known issues and improved some descriptions
2022.10.26	V1.0	First Release

Table of Contents

Intellectual Property Statement.....	2
Using this Manual.....	2
Legend	2
Legend for Battlefield Drawings	2
Change Log.....	3
1. Foreword	8
1.1 About the Competition	8
1.2 About the Rules Manual	8
1.3 Rules Q&A	8
2. Key Terms	9
3. Robot and Operator	13
4. General Competition Mechanism.....	15
4.1 HP Deduction Mechanism.....	15
4.1.1 Exceeding the Initial Launching Speed Limit.....	15
4.1.2 Exceeding the Barrel Heat Limit and Cooling.....	16
4.1.3 Exceeding Chassis Power Consumption Limit.....	17
4.1.4 Attack Damage	19
4.1.5 Referee System Going Offline.....	20
4.1.6 Irregular Offline Status	21
5. 3V3 Match	22
5.1 Battlefield	22
5.1.1 Introduction.....	22
5.1.2 Starting Zone	25
5.1.3 Bunker	29
5.1.4 Supplier Zone.....	31
5.1.5 Central Buff Point.....	32
5.1.6 Other	33
5.2 Competition Mechanism.....	35
5.2.1 Optional 17mm Launching Mechanism.....	35
5.2.2 HP Recovery and Respawn Mechanism	35
5.2.3 Projectile Supplies	36
5.2.4 Battlefield-Related Mechanism	36
5.2.5 Mechanism Related to Sentry	38
5.2.6 Level-Up Mechanism	38
5.2.7 Economy System	41
5.2.8 Winning Criteria	42
5.2.9 Competition System.....	43
6. Standard Match	44

6.1	Competition Area	44
6.2	Winning Criteria	47
6.3	Competition System.....	47
6.3.1	Group Stage	47
6.3.2	Knockout Stage.....	47
7.	Competition Process	48
7.1	Pre-Match Inspection.....	49
7.2	Staging Area	50
7.3	Setup Period.....	50
7.3.1	Official Technical Timeout	51
7.3.2	Team Technical Timeout.....	52
7.4	Referee System Initialization Period	52
7.5	Competition Round.....	53
7.6	End of Competition.....	53
7.7	Results Confirmation	53
8.	Violations and Penalties	54
8.1	Penalty System.....	54
8.1.1	Forms of Penalties	54
8.1.2	Types of penalties	54
8.2	Penalty Details	57
8.2.1	Staff.....	57
8.2.2	Robots	60
8.2.3	Interactions	62
8.3	Serious Violations.....	65
9.	Irregularities	66
10.	Appeal	67
10.1	Appeal Process.....	68
10.2	Appeal Materials.....	68
10.3	Appeal Decision.....	69
	Appendix References	70

Table Directory

Table 2-1 Overview of Key Terms.....	9
Table 3-1 Robot and Operator Lineup	13
Table 3-2 Robot's Basic Information.....	14
Table 4-1 Overview of the HP Deduction Mechanism	15
Table 4-2 Penalty Mechanism for Exceeding Initial Launching Speed Limit	16
Table 4-3 Penalty Mechanism for Exceeding Chassis Power Consumption Limit.....	18
Table 4-4 An Armor Module's Detection Speed for Different Projectile Types	20
Table 4-5 Attack Total Damage Deduction Mechanism	20
Table 4-6 Consequences of Irregular Offline Status	21
Table 5-1 Projectile Parameters and Scenarios of Use	33
Table 5-2 The Length of Respawn Processes for Different Robots on Their First Defeat	36
Table 5-3 Levels and Experience Points for Standard, Hero, and Sentry Robots.....	38
Table 5-4 Types of Chassis and Launching Mechanisms	39
Table 5-5 Attributes of 42mm Launching Mechanisms.....	41
Table 5-6 Rules for Exchange.....	41
Table 5-7 Group Stage Points	43
Table 5-8 Group Stage Points	47
Table 7-1 Failures	51
Table 8-1 Forms of Penalties	54
Table 8-2 Types of Penalties	55
Table 8-3 Collision Violation Penalty Standard.....	63
Table 8-4 Categories of Serious Violations.....	65

Diagram Directory

Figure 4-1 FPV of Participant.....	16
Figure 4-2 Calculation Logic When Barrel Heat is Exceeded.....	17
Figure 4-3 Barrel Heat Cooling Logic.....	17
Figure 4-4 Chassis Power Consumption Detection and HP Deduction Logic of Standard and Hero.....	18
Figure 4-5 Chassis Power Consumption Detection and Chassis Power-off Logic of Sentry	19
Figure 4-6 HP Deduction Mechanism for Critical Referee System Modules Going Offline	21
Figure 5-1 Axonometric View of 3V3 Match Joint Battlefield.....	22
Figure 5-2 Modules of 3V3 Match Joint Battlefield.....	23
Figure 5-3 Dimensions of 3V3 Match Joint Battlefield.....	23
Figure 5-4 Axonometric view of 3V3 Match Wooden Battlefield.....	24
Figure 5-5 Modules of 3V3 Match Wooden Battlefield	24
Figure 5-6 Dimensions of 3V3 Match Wooden Battlefield	25
Figure 5-7 Starting Zone on the Joint Battlefield	26
Figure 5-8 Starting Zone on the Wooden Battlefield	27
Figure 5-9 Base.....	28
Figure 5-10 Bunker on the Joint Battlefield	29
Figure 5-11 Bunker on the Wooden Battlefield	30
Figure 5-12 Supplier Zone.....	31
Figure 5-13 Supplier Penalty Zone.....	31
Figure 5-14 Central Buff Point	32
Figure 5-15 Layout of the RFID Interaction Module Cards	32
Figure 5-16 Projectile Reloader.....	33
Figure 5-17 Diagram of Visual Markers.....	34
Figure 5-18 Central Buff Point	37
Figure 5-19 Axonometric View of the Standard Match Joint Battlefield	44
Figure 5-20 Top View of the Standard Match Joint Battlefield	45
Figure 5-21 Dimensions of the Standard Match Joint Battlefield	46
Figure 5-22 Bunker.....	46
Figure 7-1 Process for a Single Match.....	48
Figure 7-2 Pre-match Inspection Process	49
Figure 8-1 Base Penalty Zone.....	64
Figure 10-1 Appeal Process	68

1. Foreword

1.1 About the Competition

The RoboMaster University League (RMUL), organized by local academic institutions and universities, engaging in nearby universities, is dedicated to promote technology exchanges among regional universities, cultivate a strong academic atmosphere, and assist the development of regional technology innovation.

The RMUL 2023 comprises two challenge events: 3V3 Match and Standard Match

During 3V3 Match, both teams need to independently develop their own Standard, Hero, and Sentry Robots, and conduct tactical match on the designated Battlefield by controlling the robots to launch projectiles against opponent robots and bases. At the end of the match, the winner shall be the team with the higher remaining Base HP. The participating teams can advance to the RoboMaster University Championship (RMUC) through the [Scoring and Ranking System](#).

During Standard Matches, both teams need to independently develop their own Standard Robots, and engage in 1V1 battles on the designated Battlefield by controlling their robots to launch projectiles. The winner at the end of the Match shall be the team with the higher remaining Standard Robot HP.

1.2 About the Rules Manual

This Rules Manual and its additions are applicable to all participating teams, referees, competition staff, and other partners.

Outside the competition period, the RMOC may update this Rules Manual as required by circumstances.

During the competition, the Chief Referee reserves the right of final interpretation regarding competition rules. Only the Chief Referee can be consulted on any questions related to the competition rules.



The RMUL 2023 follows “Referee System Serial Port Protocol V1.4” and its additions, and the “RoboMaster University Series 2023 Robot Building Specifications Manual V1.1”.

1.3 Rules Q&A

Any participating team or other relevant personnel who have questions about the specifications manuals (including the Rules Manual, Participant Manual, and Robot Building Specifications Manual) may direct them through our official channel, and the RMOC will reply to them periodically. The Q&A process is as follows:

1. The inquirer fills out a questionnaire and submits their queries at this link:
<https://djistore.wjx.cn/vj/wPiwIJ0.aspx>
2. On each Monday (before 12 pm), the RMOC will gather all qualifying questions from the last Monday to Sunday and provide its response to them on Friday (before 8 pm) in the RoboMaster 2023 University Series Rules and Technical Q&A Document:
<https://docs.qq.com/sheet/DUHdqbnhTSllY0dU?tab=BB08J2>

The Rules Q&A shall have the same effect as the specification manuals. In the case of any discrepancy between the Rules Q&A and specifications manuals, either one that was published the latest shall take precedence.

2. Key Terms

In this chapter, we will provide an overview of frequently encountered key terms related to the competition rules. For details on each term, please search for its relevant chapter based on its keywords.

Table 2-1 Overview of Key Terms

Term	Definition
Robots	
Standard Robot	Includes Regular Standard and Balancing Standard Robots. For a detailed definition of the Balancing Standard Robot, please refer to the “Standard Robots” chapter of the RoboMaster University Series 2023 Robot Building Specifications Manual .
Referee System	The Referee System is an electronic penalty system used for robotic competitions. It integrates computation, communication, and control features and includes the Robot Side, which is installed on the competing robot; the server, which manages the competition and collects data from the Robot Side; and the player’s client, which is installed on the PC, allows players to view robot information such as robot power, projectile launches and damage, and conducts automatic ruling based on competition rules.
Robot Chassis	A mechanism that carries the robot’s powertrain system and its accessories; a mechanism that supports the body of a robot.
Chassis Power	The power that supports the powertrain system enabling a robot to move horizontally. For details, please refer to the definition of “Chassis Power” in the “Referee System Mounting Specifications” chapter of the “RoboMaster University Series 2023 Robot Building Specifications Manual” .
Built-in Launching Mechanism	A Launching Mechanism readily attached to a robot.
Optional Launching Mechanism	A Launching Mechanism that can be installed as an optional component on a robot.
Initial Launching Speed	The speed detected by the relevant modules of the Referee System after a projectile or Dart has completed its acceleration.
Barrel Heat	The Barrel Heat generated by a robot after launching a projectile. A robot’s ability to continuously launch projectiles is restricted by its Barrel Heat Limit.
Projectile Allowance	The quantity of projectiles each robot is allowed to launch currently.
Initial HP	The HP value set by the Referee System for a robot at the start of the competition.

Term	Definition
Current HP	A robot's Real-time HP.
Maximum HP	The maximum value to which a robot's HP can be restored.
Experience Points	The accumulated points needed for a robot to upgrade itself, which can be obtained through natural growth, destroying or assisting in the attack of other robots, or other methods.
Experience Value	The experience points provided by a robot to an enemy robot when the former changes from alive to non-alive state.
Destruction	Where a robot attacks the Armor Module of an opponent Base or robot until the latter's HP drops to zero. If a robot is not alive or the Referee System is unable to detect a destroying robot for reasons other than suffering a hit on its Armor Module, it will be deemed that no destroying robot has been found.
Assist	Where a robot (except the destroying robot) inflicts damage on an opponent robot within 10 seconds before the latter's destruction.
Invincible	When a robot receives a 100% Defense Buff Note: Defense buffs can reduce the damage suffered from a projectile attack or impact.
Alive	When the robot's HP is not zero
Defeat	Where a robot's HP drops to zero after its Armor Module has been attacked or hit; it has exceeded its Chassis Power Consumption limit, Initial Launching Speed Limit or Barrel Heat Limit; its Referee System module has gone offline, etc. Note: After a robot is defeated or ejected, the Referee System will cut off power supply to the robot (except for the Mini PC).
Ejection	A robot's status when it is directly ejected due to a Red Card Warning. Note: After a robot is defeated or ejected, the Referee System will cut off power supply to the robot (except for the Mini PC).
Offline	The Referee System Main Controller Module is unable to connect to the Referee System Server during the competition, due to a power outage on the robot or other reasons.
Temporary Activation	A status where a robot's chassis and gimbal is powered on temporarily after it has been defeated or ejected. The Launching Mechanism for the robot will be powered off.
Occupy	When a robot has reached a Buff Point and its RFID Interaction Module has detected the RFID Interaction Module Card in the area.

Term	Definition
Entanglement	A status where mechanisms of robots are entangled with one another during the competition, i.e. one robot remains connected to the other robot and is pulled with said robot whichever direction it moves.
Collision	An active act of collision by a robot during the competition.
Battlefield	
Buff Point	A zone that, once occupied by a robot during the competition, will generate a special effect.
Penalty Zone	An area into which a robot's entry is forbidden.
Battlefield Components	Composite elements of the Battlefield, including but not limited to: Base
Staff	
Arbitration Commission	A body consisting of the Chief Referee and other members of the RMOC, responsible for handling appeals.
Chief Referee	The person with the final right of interpretation over the competition rules during the competition.
Head Referee	The lead referee responsible for maintaining the order of the competition and enforcing its rules.
Referee	Personnel responsible for maintaining the order of the competition and enforcing its rules.
Head Inspector	The referee responsible for leading and assigning pre-match inspection tasks, with the final right of interpretation over the inspection standards.
Participants	Individuals that have registered and been recorded in the registration system for the current competition season.
Participating Teams	The teams that have registered and been recorded in the registration system for the current competition season.
Pit Crew Members	Regular Member and Supervisor who have registered for this Season and have been entered into the registration system, can walk into the Preparation Area and Competition Area.
Operator	The Pit Crew members responsible for controlling robots during the competition.
Offending Team	A participating team that violates the competition rules.
Offending Personnel	Participants that violate the competition rules.

Term	Definition
Offending Robot	A robot that violates the competition rules.
Competition Process	
Round	A complete competition that includes the Setup Period, Referee System Initialization Period, and the competition round.
Match	Depending on the Competition System, a match may contain several rounds.
Official Technical Timeout	A Technical Timeout initiated by the Head Referee during the Setup Period or Referee System Initialization Period.
Team Technical Timeout	A Technical Timeout requested by a Captain during the Setup Period.
Factors Determining the Competition Outcome	
Total Damage	<p>The HP deducted from a robot or Battlefield Component caused by a projectile launch from an opponent robot.</p> <p>Exceptions are shown below:</p> <ul style="list-style-type: none"> ● HP deduction caused by one side's robot due to penalties will be included in the opponent's Total Damage ● HP deducted as a result of exceeding the Initial Launching Speed limit, Barrel Heat Limit and Maximum Chassis Power Consumption, a collision on an armor module, the Referee System going offline, or an offline status is not added to the other team's Total Damage.
Net Base HP	At the end of each round, the remaining HP of one's Base is subtracted from the remaining HP of the other Base.
Net Sentry HP	The remaining HP of a team's Sentry subtracted from the remaining HP of the enemy's Sentry at the end of a round.
Total Remaining HP	The total value of remaining HP of one's surviving robots at the end of each round.

3. Robot and Operator

RoboMaster requires robots to fight together as a team with good coordination and teamwork. For the robot building specifications, please refer to the “[RoboMaster 2023 University Series Robot Building Specifications Manual](#)”.

The required robot and operator lineup are as follows:

Table 3-1 Robot and Operator Lineup

Type	Numbering	Quantity (set)	Operator Lineup	Event
Hero Robot	1	0-1	1 Operator/Robot	3V3 Match
Standard Robot	3/4	0-2	1 Operator/Robot	
Sentry Robot	7	0-1	0 Operator/Robot	
Standard Robot	5	1	1 Operator/Robot	Standard Match

- In 3V3 Match and Standard Match, each team is only allowed to deploy no more than one Balancing Standard Robot.



- In 3V3 Match, the total number of Hero and Standard Robots shall not be greater than 2. In the first round of each match, the number of line-up robots shall not be less than 2.

- In a Standard Match, the armor sticker of a Standard can be 3/4/5.



- An operator must be a Regular Member of a team in the current season.
- After the end of each round, the Operator can be replaced by a Regular Member among the Pit Crew Members for the current match.

The basic information of the robot is as follows:

Table 3-2 Robot's Basic Information

	3V3 Match			Standard Match	
Robot Type	Hero Robot	Standard Robot	Sentry Robot	Regular Standard Robot	Balancing Standard Robot
Maximum Chassis Power Consumption (W)	For details on robot levels, please refer to “5.2.6 Level-Up Mechanism”.		100	120	150
Initial HP			600	200	200
Maximum HP			600	200	200
Initial Launching Speed Limit (m/s)			30	18	18
Barrel Heat Limit			240	280	280
Barrel Cooling Value per Second			80	25	50
Experience Value			75	-	-
Initial Zone	Starting Zone	Starting Zone	Sentry Starting Zone	Starting Zone	Starting Zone

4. General Competition Mechanism

4.1 HP Deduction Mechanism

The HP of robots may be deducted in any of the following situations. The Referee System will round down the HP deduction and keep the integer when calculating the HP.

Table 4-1 Overview of the HP Deduction Mechanism

Reason \ Robots	Standard Robot	Hero Robot	Sentry Robot
Exceeding the Barrel Heat Limit	√	√	√
Exceeding the Initial Launching Speed Limit	√	√	√
Exceeding Chassis Power Consumption Limit	√	√	-
Armor Module Attacked by Projectiles	√	√	√
Armor Module Collided	√	√	√
Critical Referee System Modules Gone Offline	√	√	√
Yellow Card	√	√	-
Red Card	√	√	√

4.1.1 Exceeding the Initial Launching Speed Limit

Set the Initial Launching Speed limit as V_0 (m/s), the actual initial speed detected by the Referee System as V_1 (m/s).

When $V_1 > V_0$, if it's 17 mm projectile, the deducted HP = Maximum HP * L%. If it's 42mm projectile, the deducted HP = Maximum HP * M%. The values of L% and M% are correlated to the margin of excess. The larger the margin of excess, the greater the values of L% and M%.

Table 4-2 Penalty Mechanism for Exceeding Initial Launching Speed Limit

17mm Projectile	L%	42mm Projectile	M%
$0 < V_1 - V_0 < 5$	10%	$V_0 < V_1 \leq 1.1 * V_0$	10%
$5 \leq V_1 - V_0 < 10$	50%	$1.1 * V_0 < V_1 \leq 1.2 * V_0$	20%
$10 \leq V_1 - V_0$	100%	$1.2 * V_0 < V_1$	50%

4.1.2 Exceeding the Barrel Heat Limit and Cooling

Let the Barrel Heat Limit as Q_0 , the current barrel heat as Q_1 . For each 17mm projectile detected by the Referee System, the current barrel heat Q_1 is increased by 10 (regardless of its initial speed). For each 42mm projectile detected, the current barrel heat Q_1 is increased by 100 (regardless of the 42mm projectile's initial speed). The Barrel Cools at a frequency of 10 Hz. The cooling value per detection cycle = cooling value per second / 10.

- A. When $Q_1 > Q_0$, the first-person-view (FPV) visibility on the robot Operator's screen is reduced. The FPV will only return to normal when $Q_1 \leq Q_0$. The FPV of the player's client is as follows:




Figure 4-1 FPV of Participant

- B. When $2Q_0 > Q_1 > Q_0$, the deducted HP for every 100 ms = $((Q_1 - Q_0) / 250) / 10 * \text{Maximum HP}$. After the HP deduction, the barrel cooling will be calculated.
- C. When $Q_1 \geq 2Q_0$, the immediate deducted HP = $(Q_1 - 2Q_0) / 250 * \text{Maximum HP}$. After deducting HP, set $Q_1 = 2Q_0$.

The below shows the calculation and cooling logic when the Barrel Heat limit is exceeded:




Figure 4-2 Calculation Logic When Barrel Heat is Exceeded




Figure 4-3 Barrel Heat Cooling Logic

4.1.3 Exceeding Chassis Power Consumption Limit

The chassis power consumption of robots will be continuously monitored by the Referee System, and the robot chassis needs to run within the chassis power consumption limit. Considering it is difficult for a robot to control instantaneous output power when in motion, a buffer energy (Z) has been defined to avoid the consequent penalty.

The buffer energy value of Hero, Standard and Sentry Robots is 60J.

The Referee System calculates chassis power consumption at a frequency of 10 Hz.

Excess Percentage: $K = (P_r - P_l) / P_l * 100\%$, where P_r is the instantaneous Chassis Power Consumption output and P_l is the power consumption limit.

Table 4-3 Penalty Mechanism for Exceeding Chassis Power Consumption Limit

K	N%
$K \leq 10\%$	10%
$10\% < K \leq 20\%$	20%
$K > 20\%$	40%

Standard and Hero:

After the exhaustion of buffer energy, when the Chassis Power Consumption of Standard or Hero exceeds the limit, in each detection cycle the deducted HP = Maximum HP * N% * 0.1.

The logic graph for chassis power consumption detection and HP deductions for a Standard or Hero Robot is shown below:




Figure 4-4 Chassis Power Consumption Detection and HP Deduction Logic of Standard and Hero

Sentry:

After the buffer energy is depleted, if the chassis power consumption of a Sentry Robot exceeds the limit, the Referee System will temporarily shut down the chassis' power output.

The logic graph for chassis power consumption detection of Sentry and chassis power-off is shown below:




Figure 4-5 Chassis Power Consumption Detection and Chassis Power-off Logic of Sentry

4.1.4 Attack Damage

An Armor Module detects projectile attacks using the pressure sensor and the vibration frequency of the Armor.

The shortest detection interval for an Armor Module is 50 ms (when hitting an Armor Module using a 42mm projectile, the detection interval can be extended to a maximum of 200 ms).

The projectile needs to come into contact with the impact surface of the armor module at a certain speed in order to

be successfully detected. The velocity range for the detection of different projectile types by an armor module is as follows:

Table 4-4 An Armor Module's Detection Speed for Different Projectile Types

Armor Module	17mm Projectile	42mm Projectile
Large Armor Module, Small Armor Module	Higher than 12m/s	Higher than 8m/s



In an actual match, the normal speed of a projectile that touches the Armor Module attack surface is different from its Initial Projectile Speed due to the projectile's speed decay and its incident angle not being normal to the Armor Module attack surface. Damage detection is based on the normal component of the projectile's speed upon contact with the Armor Module attack surface.

A robot experiences damage when its Armor Module is struck. However, a robot is not allowed to cause HP damage to the other side's robots through striking (including collision with the robots or launching objects).

The table below sets out the HP deductions for different armors assuming no buff points are received:

Table 4-5 Attack Total Damage Deduction Mechanism

Damage Type Target	42mm Projectile	17mm Projectile	Collision
Robot Armor Module	100	10	2
Base Large Armor Module	200	5	2

4.1.5 Referee System Going Offline

According to the “[RoboMaster 2023 University Series Robot-Building Specifications Manual](#)”, robots must be mounted with their corresponding Referee System modules, and each Referee System module must have a stable connection to its server throughout the competition. The Referee System server detects the connectivity of each module at a frequency of 2 Hz. If Critical Referee System Modules go offline due to design or structural problems, then the HP of the corresponding robots will be deducted.



Critical Referee System Modules: Speed Monitoring Module, Armor Module and Supercapacitor Management Module.




Figure 4-6 HP Deduction Mechanism for Critical Referee System Modules Going Offline

4.1.6 Irregular Offline Status

During the competition, if a robot enters the Offline state, it can reconnect to the competition while its experience and levels will continue to be calculated during the offline period.

Table 4-6 Consequences of Irregular Offline Status

Robot Type	Consequences of Irregular Offline Status
Hero, Standard	<ul style="list-style-type: none"> ● When the power supply to the Launching Mechanism, Gimbal and Chassis is cut off, 5% of the Maximum HP is deducted for each second elapsed until it drops to zero. ● The RFID Interaction Module is disabled. ● The robot no longer detects any damage caused by collision or projectile attacks. ● The respawn progress drops to zero.
Sentry Robot	<ul style="list-style-type: none"> ● When the power supply to the Launching Mechanism, Gimbal and Chassis is cut off, 5% of the Maximum HP is deducted for each second elapsed until it drops to zero. ● The RFID Interaction Module is disabled. ● The robot no longer detects any damage caused by collision or projectile attacks.

5. 3V3 Match

During a five-minute round, both teams control their robots to engage in tactical combat on the Battlefield. The team that destroys the other's Base shall be the winner.

5.1 Battlefield

5.1.1 Introduction



- The dimension error margin of all Battlefield components described here is within $\pm 10\%$. The unit for the size parameters on the site drawings is mm.
- The Battlefield has a symmetrical layout with a central line. All descriptions and illustrations of Battlefield modules in this text will be based on the Red Team as an example but will apply equally to the Blue Team.
- There are two types of Battlefields in the RMUL 2023: wooden or joint. The type of Battlefield used shall depend on the competition site.
- Static electricity may occur at the site, so participating teams are advised to take the relevant protective measures.

The core competition area of the 3V3 Match is called the “Battlefield”. The Battlefield is 12m x 8m in size. Each team has a Starting Zone, Supplier Zone and Battlefield Buff Zone.





Figure 5-1 Axonometric View of 3V3 Match Joint Battlefield



- [1] Supplier Zone [2] Sentry Starting Zone [3] Starting Zone [4] Base [5] Bunker [6] Central Buff Point

Figure 5-2 Modules of 3V3 Match Joint Battlefield




Figure 5-3 Dimensions of 3V3 Match Joint Battlefield





Figure 5-4 Axonometric view of 3V3 Match Wooden Battlefield



- | | | | | |
|------------------------|--------------------------|-------------------|----------|------------|
| [1] Supplier Zone | [2] Sentry Starting Zone | [3] Starting Zone | [4] Base | [5] Bunker |
| [6] Central Buff Point | [7] Visual Marker | | | |

Figure 5-5 Modules of 3V3 Match Wooden Battlefield





Figure 5-6 Dimensions of 3V3 Match Wooden Battlefield

5.1.2 Starting Zone

The Starting Zone is the robot's placement area before a match, mainly including the Base.



- [1] Cloth Perimeter Wall of the Starting Zone

- [2] Starting Zone Perimeter Wall





Figure 5-7 Starting Zone on the Joint Battlefield



[1] Cloth Perimeter Wall of the Starting Zone

[2] Wooden Perimeter Wall of the Starting Zone




Figure 5-8 Starting Zone on the Wooden Battlefield

5.1.2.1 Base

The Red Team and Blue Team each have a Base. The Base is equipped with several Armor Modules with stickers attached.




Figure 5-9 Base

5.1.3 Bunker




Figure 5-10 Bunker on the Joint Battlefield




Figure 5-11 Bunker on the Wooden Battlefield

5.1.4 Supplier Zone

Supplier Zone is an important area for robots to replenish projectile and restore HP.




Figure 5-12 Supplier Zone

5.1.4.1 Supplier Penalty Zone

The Supplier Zone of one side is the Supplier Penalty Zone for the robots of the other side.




Figure 5-13 Supplier Penalty Zone

5.1.5 Central Buff Point

Central Buff Point is located at the center of the Battlefield.





Figure 5-14 Central Buff Point



[1] Locations where RFID interaction module cards are lodged

Figure 5-15 Layout of the RFID Interaction Module Cards



Deadbands may exist for the RFID Interaction Module Cards at the Buff Points in the Battlefield. The teams have to adjust on their own.

5.1.6 Other

5.1.6.1 Projectiles

Robots attack the Armor Modules of opponent robots by launching projectiles, causing damage to their HP so as to ultimately defeat them. The parameters and scenarios of use for projectiles in the competition are as follows:

Table 5-1 Projectile Parameters and Scenarios of Use

Type	Appearance	Color	Size	Weight	Shore Hardness	Material	Scenarios of Use
42mm Projectile	Similar to a golf ball	White	42.5 mm \pm 0.5 mm	41 g \pm 1 g	90 A	Plastic (TPE)	3V3 Match
17mm Projectile	Spherical	Yellow-green	16.8 mm \pm 0.2 mm	3.2 g \pm 0.1 g	90 A	Plastic (TPU)	All RMUL Events

5.1.6.2 Projectile Reloader

An off-field reloading operator may refill projectiles for a robot using an official Projectile Reloader. The Projectile Reloader is shown below:




Figure 5-16 Projectile Reloader

5.1.6.3 Visual Marker

A Visual Marker is a square label with a side length of 150 mm and red or blue words on a white background. Each Marker is different. For their codes, please refer to “[RoboMaster Visual Marker Library](#)”.

The color codes for Visual Markers are:

Red RGB: R255 G51 B51; CMYK: C0 M89 Y75 K0; HEX: ff3333

Blue RGB: R51 G153 B204; CMYK: C74 M30 Y13 K0; HEX: 3399cc




Figure 5-17 Diagram of Visual Markers

5.1.6.4 Operator Room

Operator Room lies outside the Battlefield and is an area for Operators during the competition. Each Operator Room must be equipped with a corresponding number of computers with official equipment such as monitor, mouse, keyboard and USB hub.

5.2 Competition Mechanism

5.2.1 Optional 17mm Launching Mechanism

An Optional 17mm Launching Mechanism can be mounted on either a Standard or a Hero Robot, provided that it meets the technical specifications of all robots. All Launching Mechanisms must meet the relevant requirements for Initial Launching Speed Limit for Projectiles. Each Launching Mechanism can be mounted with a laser sight.

Example: A Standard Robot can be equipped with one 17mm launching mechanism. A team can mount an Optional 17mm Launching Mechanism on a Standard Robot as needed. The Robot will then have two 17mm Launching Mechanisms.

The Barrel Heat of an Optional 17mm Launching Mechanism is calculated separately from a Fixed Launching Mechanism. After the start of the Three-Minute Setup Period, the operator must select the type of Launching Mechanism for the Optional 17mm Launching Mechanism.

5.2.2 HP Recovery and Respawn Mechanism

All robots may recover their HP (except for ejected robots); only Sentries cannot be respawned.

5.2.2.1 HP Recovery Mechanism



HP Pack: Allow robot HP recovery at a speed of 10% of Maximum HP per second within 5 seconds.

Each team has 3 HP Packs when the match begins. If a team has one or more HP Packs, its operator can press the corresponding key to consume an HP Pack when its robot has occupied the team's Projectile Supplier Zone. For the same robot, the next HP Pack can only be used after the previous one is completed (namely, 5 seconds after it takes effect).

Both teams can acquire more HP Packs by occupying the Central Buff Point. For detailed acquisition methods, please refer to "5.2.4.2 Central Buff Point Mechanism."

From the start to the 4th minute of the competition (countdown from 4:59-0:59), a surviving Sentry Robot that occupies its Supplier Zone will recover its HP at 100 points/second. The total maximum HP that can be recovered in this manner is 600.

5.2.2.2 Respawn Mechanism

- A defeated Standard or Hero Robot can be respawned automatically, by completing the respawn process.
- When a Standard or Hero robot is auto-respawning, it gains 2 respawn points each second.

- After a Standard or Hero is respawned, all launching mechanisms remain powered off. A robot must return to its team's Supplier Zone to enable the launching mechanism again.

The length of respawn processes for different robots on their first defeat are shown as follows:

Table 5-2 The Length of Respawn Processes for Different Robots on Their First Defeat

Type	Respawn Process Length
Standard Robot	10
Hero Robot	20

The respawn process length for the same robot increases by 10 after each defeat.

A respawned robot will maintain its level, performance points and experience points from before its defeat, and its HP will be restored to 20% of the Maximum HP. The robot is invincible for 10 seconds after respawn.

5.2.3 Projectile Supplies

In each round, a robot can enter its team's Supplier Zone at any time, where the off-field reloading operator can refill projectiles for the robot using the official Projectile Reloader. For details on the Projectile Reloader, please refer to "Figure 5-16 Projectile Reloader".



Reloading operators can only refill projectiles using the official projectile reloader, and cannot touch the robots in any other manner.

5.2.4 Battlefield-Related Mechanism

5.2.4.1 Base HP

The Base HP is 1500 and it is in the Invincible state at the start of a round.

During the competition, when one team experiences its first robot defeat or ejection, its Base's Invincible status will be removed while its Virtual Shield will be activated and have 1,500 HP points. When a robot attacks the opponent's Base, the HP of its Virtual Shield will be deducted first. If the Virtual Shield's HP is reduced to zero, the Base's HP will begin to be deducted.

A team's Base loses the Invincible Status and Virtual Shield when its Sentry is destroyed or ejected.


If a team's Sentry Robots have not showed up on the Battlefield after one-minute elapses in the round, the "Invincible" status of the team's Base and its Virtual Shield will be disabled.



- The HP of Virtual Shields cannot be restored, and the HP deduction suffered by a Virtual Shield from being attacked will be included in the Total Damage of the other team.
 - When a Base is in the Invincible status or its Virtual Shield is enabled, its armor lights will become purple
-

5.2.4.2 Central Buff Point Mechanism

The location of the Central Buff Point is shown below (with a Wooden Battlefield as an example):



[1] Central Buff Point

Figure 5-18 Central Buff Point

Within the first minute of the match, Central Buff Point is not activated, and no robot can occupy the Zone.

One minute into the round (when the countdown is at 3:59), the Central Buff Point activates. Any Hero or Standard Robot that occupies the Central Buff Point will gain 10 energy points for its team per second. Any Sentry Robot that occupies a Central Buff Point will gain additional a 10 energy points for its team per second. Both teams can occupy Central Buff Point simultaneously, and the deactivation of Occupied Status is delayed by 2 seconds.

If a robot is attacked while occupying a Central Buff Point, the energy received by its team will be deducted: For every 17mm projectile detected, 2 energy points will be deducted, and for every 42mm projectile detected, 20 energy points will be deducted, until the team's energy is reduced to zero.

When a team occupying Central Buff Point has gained 100 energy points, the Zone becomes deactivated immediately. The occupying team gains 2 HP Packs, and both teams' occupation energy becomes zero. The Central Buff Point cannot be reactivated for 90 seconds. Central Buff Point becomes activated again after 90 seconds.

5.2.5 Mechanism Related to Sentry

The barrel heat of Sentry's two Launching Mechanisms shall be calculated separately. When the total number of projectiles launched by two Launching Mechanisms has reached 750, all Launching Mechanisms will be powered off.

5.2.6 Level-Up Mechanism

5.2.6.1 Experience System

After the match starts, Standard and Hero are both at Level 1. They can level up by gaining experience points.

During the competition, a robot earns experience points through natural growth or by destroying other robots. The mechanism is as follows:

- If a robot has destroyed an opponent robot, the latter's experience points will be distributed evenly among the surviving Hero and Standard Robots of the destroying robot's team.
- Upon the first robot defeat in the competition, an additional 50 experience points will be evenly distributed among the surviving Hero and Standard Robots of the destroying robot's team.



The average is rounded up and shall be accurate to one decimal place.

- In addition, a Standard gains 1 experience point every 6 seconds, and a Hero gains 1 experience point every 3 seconds. If a Standard or Hero is defeated, its original experience points will remain unchanged. The robots cannot receive any experience points while not alive. Any excess experience points after leveling up will be counted towards the next level.

Table 5-3 Levels and Experience Points for Standard, Hero, and Sentry Robots

Robot Type	Level	Experience Value	Experience Points Required for Leveling Up
Hero Robot	1	75	80
	2	100	120
	3	150	-
Standard Robot	1	25	30
	2	50	60
	3	75	-
Sentry Robot	-	75	-

5.2.6.2 Performance System

After the start of the Three-Minute Setup Period, the operators of the Standard and Hero Robots may select the types of chassis and Launching Mechanism for the robots. If a Standard or Hero Robot is to be installed with an Optional 17mm Launching Mechanism, the type of Launching Mechanism will also need to be selected. After the competition starts, a robot's chassis and Launching Mechanism, once selected, cannot be changed during a competition round.

Table 5-4 Types of Chassis and Launching Mechanisms

Robot Type	Chassis Type	Launching Mechanism Type
Hero Robot	HP-focused	Burst-focused
	Power-focused	Projectile speed-focused
Standard Robot	HP-focused	Burst-focused
	Power-focused	Cooling-focused
	Balancing chassis	Projectile speed-focused

Table 5-2 Attributes of Standard Robot Chassis

Chassis Type	Level	Maximum HP	Maximum Chassis Power Consumption (W)
Initial Status	1	100	40
Power-focused	1	150	60
	2	200	80
	3	250	100
HP-focused	1	200	45
	2	300	50
	3	400	55
Balancing Chassis	1	300	60
	2	400	80
	3	500	100

Table 5-3 Attributes of Hero Robot Chassis

Chassis Type	Level	Maximum HP	Maximum Chassis Power Consumption (W)
Initial Status	1	150	50
Power-focused	1	200	70
	2	250	90
	3	300	120
HP-focused	1	250	55
	2	350	60
	3	450	65

Table 5-4 Attributes of 17mm Launching Mechanism

Launching Mechanism Type	Level	Barrel Heat Limit	Barrel Cooling Value per Second	Initial Launching Speed Limit (m/s)
Initial Status	1	50	10	15
Burst-focused	1	150	15	15
	2	280	25	15
	3	400	35	15
Cooling-focused	1	50	40	15
	2	100	60	18
	3	150	80	18
Projectile Speed-focused	1	75	15	30
	2	150	25	30
	3	200	35	30

Table 5-5 Attributes of 42mm Launching Mechanisms

Launching Mechanism Type	Level	Barrel Heat Limit	Barrel Cooling Value per Second	Initial Launching Speed Limit (m/s)
Initial Status	1	100	20	10
Burst-focused	1	200	40	10
	2	350	80	10
	3	500	120	10
Projectile Speed-focused	1	100	20	16
	2	200	60	16
	3	300	100	16

- A Balancing Standard Robot can only have a balancing chassis.



- For Balancing Standard Robots of the same level and Launching Mechanism type, their barrel cooling rate per second is higher than that of Regular Standard Robots by 50%.

5.2.7 Economy System

Both teams will receive gold coins regularly during the competition. Gold coins can only be exchanged for Projectile Allowance.

Each team has 200 coins at the start of the match. For every minute afterwards, 200 gold coins will be given to each team until the second minute (when countdown is at 2:59). In the third minute (when countdown is at 1:59) and fourth minute (when countdown is at 0:59) of the game, both sides can get 300 gold coins again.

Table 5-6 Rules for Exchange

Redemption Item	Redemption Ratio
17mm Projectile	50 coins/50 rounds
42mm Projectile	75 coins/5 rounds

After the start of the competition, for each round of projectiles fired by a robot, the Projectile Allowance corresponding to the type of projectiles fired is reduced by 1. The Projectile Allowance for 17mm and 42mm

projectiles is calculated separately. When the corresponding Projectile Allowance is not zero, the launching Mechanism will remain powered on; otherwise it will be powered off. If a Hero Robot launches more projectiles than its allowance (the Speed Monitor Module detects a 42mm projectile has been fired when the Projectile Allowance is 0), the Referee System will shield all the Armor Modules of the other team's robots and Base from 42mm projectile damage.

Standard and Hero Robots can exchange 17mm or 42mm projectiles with gold coins at any time in the Supplier Zone. The operator reloads projectiles through the participant interface using a keyboard and mouse. Projectiles can be reloaded on robots after the match has started. If projectile reloading is confirmed to take place and there are gold coins remaining, a team can select the number of projectiles on the exchange panel and complete the exchange by having its Standard operator press the corresponding key and Hero operator press the corresponding key.



Hero Robots can be pre-loaded with 17mm or 42mm projectiles, while Standard and Sentry Robots can only be pre-loaded with 17mm projectiles. All robots can have their 17mm projectiles reloaded by the off-field reloading operator of the Supplier Zone during the competition

5.2.8 Winning Criteria

Winning criteria for a Single Round as shown below:

1. When the Base of one team is destroyed, the round ends immediately and the surviving team wins.
2. When the entire seven minutes of a round elapses, if the Bases of both teams have survived, the team with the higher remaining Base HP is the winner.
3. If a round has ended, and the remaining Base HP of both teams are the same, the team with the higher remaining Sentry HP is the winner.
4. If a round has ended, and the remaining Base HP and Sentry HP of both teams are the same, the team that inflicted more damage to other team is the winner.
5. If a round has ended, and the Remaining Base HP and Sentry Robot HP of both teams are the same, and the total damage inflicted by each team is the same, the team with the higher Total Robot Remaining HP shall be the winner.
6. If neither fulfills these criteria, the round is considered a draw. A draw in the Knockout Stage leads to an immediate tie-breaker round until a team wins.

5.2.9 Competition System

The 3V3 Match consists of the Group Stage and the Knockout Stage. The Group Stage follows the BO2 competition system, while for Knockout Stage it is BO3 or BO5.

5.2.9.1 Group Stage

Table 5-7 Group Stage Points

Competition System	Competition Result	Points
BO2	2:0	The team winning two rounds gains 3 points, while the team losing two rounds gains 0 point
	1:1	Each team obtains 1 point
	1:0	(draw for one round): The team winning one round gain 1 point, and the team losing one round gain 0 points
	0:0	(Two rounds draw): Each team obtains 0 points

The ranking for the Group Stage is determined by the total points for each match. The following order are used to determine competition results in descending order of priority:

1. The team with the higher number of total points ranks higher.
2. If the total points of teams are the same, the team with the higher total Net Base HP ranks higher.
3. If the total Net Base HP of teams are the same, the team with the higher total Net Sentry HP from all rounds ranks higher.
4. If the total Net Sentry HP is the same, the team with the higher total Total Damage ranks higher.
5. If two or more teams still tie for the same place according to these criteria, the RMOC will arrange a playoff match on a round-robin basis.

5.2.9.2 Knockout Stage

A team wins the Knockout Stage if it has won the greatest number of rounds: The BO3 format requires two wins.

6. Standard Match

During a two-minute round, the robots from both teams engage in a shootout on the Battlefield. The team that destroys the other's robots shall be the winner.

During a Standard Match, a Standard Robot:



- Will maintain the same experience and robot level.
 - Only one Built-in 17mm Launching Mechanism
 - May launch up to 200 rounds of 17mm projectiles.
-

6.1 Competition Area

The core competition area of the 3V3 Match is called the “Battlefield”. The Battlefield is a 5m x 5m area that contains the Starting Zones of the blue and red teams.





Figure 5-19 Axonometric View of the Standard Match Joint Battlefield



[1] Red Team's Starting Zone

[2] Bunker

[3] Blue Team's Starting Zone

Figure 5-20 Top View of the Standard Match Joint Battlefield




Figure 5-21 Dimensions of the Standard Match Joint Battlefield




Figure 5-22 Bunker

6.2 Winning Criteria

1. When a robot defeats the opponent through attacking the armor module.
2. If neither robot is defeated within the time limit, the team with more remaining HP wins.
3. If neither robot is defeated and both robots have the same HP after the time limit, then the robot with less weight wins.
4. If neither fulfills these criteria, the round is considered a draw. A draw in the Knockout Stage leads to an immediate tie-breaker round until a team wins.

6.3 Competition System

Standard Match consists of two parts: The Group Stage and the Knockout Stage. The competition system of Group Stage is BO2; the system of Knockout Stage is all BO3.

6.3.1 Group Stage

Table 5-8 Group Stage Points

Competition System	Competition Result	Points
BO2	2:0	The team winning two rounds gains 3 points, while the team losing two rounds gains 0 point
	1:1	Each team obtains 1 point
	1:0	(draw for one round): The team winning one round gain 1 point, and the team losing one round gain 0 points
	0:0	(Two rounds draw): Each team obtains 0 points

The ranking for the Group Stage is determined by the total points for each match. Teams are ranked based on the following order from 1 to 3, in descending order of priority:

- The team with the higher number of total points ranks higher.
- If two teams have equal points, the winner of the two in the group match will be ranked higher.
- If there are three teams with equal points or two teams with equal points are tied, the one with highest Net Remaining HP after all matches at the Group Stage will be ranked higher.
- If two or more teams still tie for the same place according to these criteria, the RMOC will arrange a playoff match on a round-robin basis.

6.3.2 Knockout Stage

A team wins the Knockout Stage if it has won the greatest number of rounds: The BO3 format requires two wins.

7. Competition Process




Figure 7-1 Process for a Single Match

7.1 Pre-Match Inspection



- The inspection results of the Mock Inspection and Practice Match are for reference only and are not taken into account for the inspection in the actual competition.
- The inspection results during the competition are only valid for the current match.

In order to make sure that the robots manufactured by the teams conform to the requirements in the specification's documents, 3V3 Match and Standard Match teams must arrive at the Inspection Area 60 and 40 minutes in advance, respectively, for Pre-match Inspection. For the requirements of the Pre-Match Inspection, please refer to the [“RoboMaster 2023 University Series Robot-Building Specifications Manual”](#). The inspection process is as follows:




Figure 7-2 Pre-match Inspection Process

The rules regarding backup robots are as follows:

- During each round, each team can carry no more than one backup robot.
- Team members are required to declare the types of backup robots they are carrying during Pre-match Inspection. Backup Hero and Sentry must be attached with armor stickers in the Pre-match Inspection Area. If a backup Standard Robot is needed on the field, a Pit Crew Member must obtain the corresponding armor sticker promptly from the referee. The attachment of armor stickers must follow the requirements stated in the [“RoboMaster 2023 University Series Robot-Building Specifications Manual”](#).

During Mock Inspection, the RMOC will issue Referee Systems to backup robots that have passed Mock Inspection.

For all RMUL events, each team can borrow at most one backup robot's Referee Systems.

7.2 Staging Area

After the pre-match inspection, the teams should arrive at the Staging Area at least 10 minutes before the start of each round. In a 3V3 Match, each team is allowed to have a maximum of seven Pit Crew, which must include one Supervisor and up to six Regular Members (including reloading operators). In a Standard Match, each team is allowed to have a maximum of three Pit Crew, which must include one Supervisors and up to two Regular Members. Other team members are not allowed to be present at the competition site on behalf of the Supervisor. One Pit Crew Member should wear the "Captain" armband and undertake the Captain's role. The staff at the Staging Area will verify the Pass Cards of participating robots and details of Pit Crews, and issue armbands. If any team needs to repair its robots after entering the Staging Area, they must obtain the permission of the staff at the Staging Area. A robot may leave the Staging Area for repair only after the staff at the Staging Area have removed the Pass Card on the robot. When repair is finished, the robot needs to be brought back to the Inspection Area for another Pre-Match Inspection before re-entering the Staging Area. If the team is unable to arrive at the Staging Area in time as a result of this delay, the robot will not be able to enter the match, and the team will bear the consequences.



Captain Armband: Any Regular Member that wears the 'Captain' armband performs the Captain role during the match. The Captain is responsible for managing and controlling the team's participation in the competition process, confirming results, and requesting for Technical Timeouts, appeals, etc.

After leaving the Staging Area, the participating teams will enter the waiting area of the Competition Area to place their robots. When the previous match has ended and with the permission of the referee, the next pair of participating teams will wait at the entrance of the Battlefield with their robots for further instructions. After the referee has confirmed that both teams are ready, he or she will open the door and lead the team members into the Competition Area. The countdown for the Setup Period will begin when the doors are opened.

7.3 Setup Period



After the end of the second and fourth round of a BO5 match, both teams have ten minutes to work on their robots. When ten minutes run out, the Three-Minute Setup Period of the next round begins.

The Setup Period for a 3V3 Match is three minutes, and two minutes for a Standard Match. During the Setup Period, Pit Crew Members shall place their robots on their respective Initialization Areas, check whether their Referee Systems are operating normally, and load their Standard Robots with initial projectiles. Pit Crew Members may repair robots or replace equivalent parts, provided the requirements of the specification's documents are met.



Equivalent parts: Standard modules or components having the same material, form and functions, for example motors of the same model and self-built friction wheel modules.

One minute before the Setup Period ends, the Operator is advised to enter the Operator Room to complete debugging for the keyboard and mouse (which can be brought on your own), and double-check whether the robot controls and official equipment are operating properly. If any official equipment does not operate normally, the Pit Crew Members must raise the issue before entering the final 15 seconds of the Setup Period. Otherwise, no technical timeout will be allowed by the referee. Except for the Operators of the robots on the Battlefield, the Pit Crew are not allowed in the Operator Room.

When the Setup Period is down to 30 seconds, all robots in the Battlefield must be powered up, robots that are not powered up must be removed from the Battlefield, and the staff in the Battlefield should leave the Competition Area in an orderly manner. After the end of the Setup Period, Pit Crew must place the Sentry's remote controller in the designated area at the Battlefield entrance.

7.3.1 Official Technical Timeout

During the Setup Period, if the Referee System, equipment inside the Operator Room or other modules related to the Referee System malfunctions (for details see the table below), the Head Referee can announce an Official Technical Timeout and pause the setup countdown. The starting time of the Timeout shall be decided by the Head Referee based on the situation.

During an Official Technical Timeout, team members can only work with the staff in eliminating the relevant faults of the Referee System or other official equipment, and are not allowed to repair other faults. When the relevant fault of the Referee System or official equipment has been eliminated and the Chief Referee has resumed the countdown, Pit Crew Members are required to follow the set procedures for the Setup Period and leave the Battlefield within the specified time.

Table 7-1 Failures

Rules	Description
1	A fault occurs with the official equipment in the operator room, and any key competition component in the Battlefield experiences structural damage or functional irregularity.
2	During the Setup Period of the first round, the modules of the robot client on the Referee System experience faults, such as: damage of the Armor Module, Speed Monitor Module going offline, etc.
3	During the Setup Period, the main controller of the Referee System is unable to connect to the server or a robot cannot transmit images to the Operator Room.

4	Other situations where the Head Referee deems it necessary to call an Official Technical Timeout.
---	---

If the malfunction referred to in Rule 2 occurs during a Setup Period between rounds or during a Round, it will be categorized as “Regular Battle Damage”, as it cannot be determined whether the malfunction was caused by the Referee System module, a flaw in the robot’s electrical or structural designs, or the robot combat from previous matches. Regular battle damage will not trigger an Official Technical Timeout. Referees will provide backup Referee System modules. Teams may request for a “Team Technical Timeout” to repair their robots.

If the referee determines that the malfunction referred to in Rule 2 and 3 above is caused by the team, the referee will explain the situation and end the Official Technical Timeout.

7.3.2 Team Technical Timeout

If the mechanical structure of a robot, a software system, the keyboard or mouse in the Operator Room or other equipment experiences any faults, the team Captain may make a request to the referee in the Battlefield or Operator Room for “Team Technical Timeout” only during the Setup Period and before its 15-second countdown, and indicate the requested timeout length and reasons for the request. Team Technical Timeout once requested and conveyed to the Head Referee, this Timeout cannot be cancelled or revised.

After the Team Technical Timeout is confirmed by the Head Referee, the Referee will notify both teams at the same time regardless of which team initiated the timeout. Pit Crew Members may enter the Battlefield to repair robots, while the members of both teams can only inspect, repair and commission their own robots in the initialization zones for the robots.

The Head Referee may end the Technical Timeout once they determine that the teams are ready. Even if the participating team does not enter the Battlefield or ends the Technical Timeout early, the opportunity consumed is still the opportunity corresponding to the time declared by the participating team when applying.

To ensure that subsequent matches begin on time, only one Team Technical Timeout is allowed in each Setup Period on a first-come-first-served basis. The Technical Timeout usage is recorded in the Match Results Confirmation Form.

During each event, each team has two technical timeout opportunities. A team cannot request for more Team Technical Timeout opportunities once they have been used up.

7.4 Referee System Initialization Period

After the Setup Period, the match enters a 20-second Referee System Initialization Period. During the Initialization Period, the competition server will automatically detect the connection status of the player’s client, the Referee System module status of the robot, the status of Battlefield Components and restore the HP of all robots, ensuring their HP are full when the match officially begins.

If the Head Referee initiates an Official Technical Timeout during the Referee System Initialization Period and requires the team to troubleshoot and fix a problem, such team will be allowed to send a maximum of two Pit Crew Members into the Battlefield to do so.

When the Referee System Initialization Period is left with 5 seconds, a clear countdown sound effect and live animation will be played. At this time, the player's client will not respond to control commands from robots (including Custom Controllers). Once the countdown finishes, the keyboard is unlocked and the competition starts.

7.5 Competition Round

During the matches, the robots from both teams in 3V3 Match and Standard Matches engage in a shooting battle on the core Competition Area (the Battlefield).

7.6 End of Competition

A round ends either when the full time has elapsed or one team has fulfilled the conditions for winning. For the winning criteria, please refer to “6.2 Winning Criteria”. The match is over when a winner has emerged or all rounds have ended.

7.7 Results Confirmation

During a match, the referee will record on the Match Results Confirmation Form the penalties issued for each round, the key competition data at the end of the match, the winning teams, the use of Technical Timeout opportunities by the teams, and other relevant details.

Within 5 minutes after the end of a match, the Captains of both teams must sign and confirm the match results. If a team Captain does not sign and confirm the results within 5 minutes or has not requested an appeal, it is deemed that the team agrees with the match results.

8. Violations and Penalties

In order to ensure the fairness of the competition and maintain competition discipline, the participating teams, participants, and participating robots must strictly follow the competition rules. If there is a violation, the referee will give a corresponding penalty for the violation. Some penalties issued before the official start of the competition will be enforced after the official start of the competition. Serious violations and all appeals in the competition will be publicized.

Penalty of violation stated in this chapter will be determined by the Head Referee according to the actual situation. If there is a situation during the competition that affects the fairness of the competition but is not involved in the penalty rules or serious violations, the head referee will make a judgment based on the actual situation.

8.1 Penalty System

8.1.1 Forms of Penalties

During a match, the referee may issue penalties against participants and robots that have failed to comply with competition rules. The forms of penalties are as follows.

Table 8-1 Forms of Penalties


Forms of Penalties	Descriptions
Automatic Penalties by the Referee System	HP deductions as a result of a robot exceeding its parameter limits or a Referee System Module going offline during the competition. The HP deductions mentioned in “4.1 HP Deduction Mechanism”, except those caused by attacks, are all automatic penalties by the Referee System.
Manual Penalties through the Referee System	Penalties issued by the referee through the server against participants and robots for violation of rules.
Manual Referee Penalties	Used in situations where penalties cannot be issued through the Referee System, for example issuing a Verbal Warning or disqualifying a team.

8.1.2 Types of penalties

There are five types of penalties that can be issued during the competition, as shown below.

Table 8-2 Types of Penalties

Types of Penalties	Descriptions
Verbal Warning	Verbal alert
Yellow Card	<ul style="list-style-type: none"> ● One team receives a Yellow Card: <ul style="list-style-type: none"> ➤ The operating interface for the offending robot is blocked for 5 seconds and those for other robots are blocked for 2 seconds. ➤ If the offending robot is a Sentry, its chassis will be powered off for five seconds while the other surviving robots will have their HP deducted by 5% of their current Maximum HP. ➤ If the offending robot is not a Sentry, the Referee System will automatically deduct the offending robot's HP by 15% of its Maximum HP, while the remaining surviving robots (except for Sentries) will have their HP deducted by 5% of their Maximum HP. If the robot receives a Yellow Card again within 30 seconds after it receives a Yellow Card, the deducted percentage of their current Maximum HP will be twice that of the previous deduction for that robot, and 5% for the other surviving robots (except for Sentry Robots). <p>Example 1: A Standard Robot has a Maximum HP of 200 while the other robots in the team have a Maximum HP of 100.</p> <p>If the offending robot receives a Yellow Card at the 15th, 25th, and 58th second of the competition respectively,</p> <p>The HP deduction caused by each of the Yellow Cards shall be as follows:</p> <p>The offending robot's HP is deducted by 30, 60 and 30 respectively. The deducted HP for the other robots are 5, 5 and 5.</p> <p>Example 2: A Standard Robot has a Maximum HP of 200 while the other robots in the team have a Maximum HP of 100.</p> <p>If the offending robot receives a Yellow Card at the 15th, 25th, and 50th second of the competition respectively,</p> <p>The HP deduction caused by each of the Yellow Cards shall be as follows:</p> <p>The offending robot's HP is deducted by 30, 60 and 120 respectively. The deducted HP for the other robots are 5, 5 and 5.</p> ➤ In each round, a robot that has been issued a cumulative four Yellow Card Warnings will receive a Red Card Warning. ● Both-team Yellow Card:

Types of Penalties	Descriptions
	<p>The interface of all Operators is blocked for two seconds and the HP of all robots (except Sentries) is deducted by 5% of their Maximum HP, without taking into account the cumulative number of Yellow Card Warnings received.</p> <hr/> <div>  <ul style="list-style-type: none"> ● If multiple Yellow Cards are received successively, the blockage time for the operation interface will add up accordingly. ● If a robot's remaining HP is less than or equal to that needs to be deducted from penalty, this robot's HP reduces to 1. </div>
Red Card (Ejection)	<ul style="list-style-type: none"> ● Ejecting a robot <ul style="list-style-type: none"> ➤ If a robot is ejected before entering the Referee System Initialization Period, the offending robot will not be allowed to enter and must be removed from the Battlefield, nor can they be replaced by other robots for all rounds in the current match. ➤ If a robot is ejected during the Referee System Initialization Period, the Red Card Warning shall be issued after the competition starts. ➤ If a robot is ejected during the competition, the robot's HP will turn zero and the transmitted images will become monochrome. ● Ejection of Pit Crew Members: Pit Crew members ejected by a referee must leave the Competition Area immediately and cannot be replaced by other Pit Crew Members for all rounds in the current match. All robots controlled by an ejected Operator shall also be ejected for the current round, and will not be allowed to join the Battlefield nor can they be replaced by other robots for all rounds in the current match.
Forfeiture	<ul style="list-style-type: none"> ● If a Forfeiture is issued for a round (hereinafter referred to as "Round Forfeiture"), the following rules shall apply. <ul style="list-style-type: none"> ➤ If a Forfeiture is issued before the start of the match (including the Setup Period and Referee System Initialization Period). The offending team's Base and Sentry HP will become zero, and the HP of its other robots will be full. The opposing team's Base HP and robots' HP will be full. ➤ If a Forfeiture is issued during a match, the round will end immediately. The offending team's Base and Sentry's HP will become zero, and the team's other robots maintain their HP level at the end of the round. The HP of the opposing team's Base and robots will remain at the level when the round ended.

Types of Penalties	Descriptions
	<ul style="list-style-type: none"> ➤ If a Forfeiture is issued after a match, the offending team's Base and Sentry's HP will become zero, and the team's other robots will maintain their HP level from the end of the round. The HP of the opposing team's Base and robots will remain at the level from when the round ended. ● If a Forfeiture is issued in a match (hereinafter referred to as "Match Forfeiture"), it applies to all rounds in the match, and the HP for each round shall be calculated according to the above descriptions.
Disqualification	<ul style="list-style-type: none"> ● The team member is disqualified from the current competition season. ● The team is disqualified from the current competition season, but its results so far in this season will be maintained as a reference for other teams.

8.2 Penalty Details

This chapter sets out the penalty rules and defines the relevant measures to be taken by the referee after a violation has occurred. The R# rules clearly indicate the rules that participating teams, participants and robots must follow.

8.2.1 Staff

8.2.1.1 General Rules

R1 The requirements stated in [“RoboMaster 2023 University League Participant Manual”](#) must be met.

Penalties: The highest penalty that can be imposed on the offending team is disqualification.

R2 Teams must not set up their own wireless networks or communicate with team members using walkie-talkies in the relevant competition areas (including but not limited the Preparation Area, Inspection Area, Staging Area and Competition Area).

Penalties: The highest penalty that can be imposed on the offending team is disqualification.

R3 Teams must not damage any official equipment (including but not limited to equipment in the Competition Area, Staging Area, Preparation Area and Inspection Area).

Penalties: The team may be issued a maximum penalty of disqualification, as judged based on the team's subjective intention and the impact of its violation on the competition process.

R4 Apart from Pit Crew Members who have entered the Staging Area and Competition Area due to match-related reasons, no participants are allowed inside either area without special reasons.

Penalties: Verbal Warning. If the Verbal Warning is ineffective, the offending team member may be disqualified as the maximum penalty.

- R5 Any participant who has entered the Staging Area and Competition Area may not leave either area without permission.

Penalties: Offender are not allowed to enter the Staging Area and Competition Area. The most serious penalty that can be imposed is disqualification from the competition.

- R6 Except for the projectiles preloaded in the Inspection Area, participating teams are not allowed to bring the projectiles to be used in the competition into the Staging Area or Competition Area.

Penalties: Confiscation of projectiles and Verbal Warning. If the Verbal Warning is ineffective, the offender may be disqualified as the maximum penalty.

- R7 After a match is over, the Pit Crew must power off all their robots, remove them from the Competition Area and empty all projectiles inside the robots at the Projectile Unloading Area.

Penalties: The offending robot will be detained in the Projectile Unloading Area, until its projectiles are cleared.

- R8 After a match ends, Pit Crew must return all projectiles used in the competition to the Projectile Unloading Area.

Penalties: Confiscation of projectiles and disqualification of the offending personnel from subsequent matches in the current division. The highest penalty that can be imposed on the offending personnel is disqualification.

- R9 Except for emergency situations, teams must be present at the Inspection Area before the start of each match for Pre-match Inspection. The team must stand by at the Staging Area 10 minutes before each match.

Penalties: The maximum penalty is a Match Forfeiture.

- R10 Team members must not turn on the power and commission or repair their robots in the Staging Area.

Penalties: Verbal Warning. If violations persist despite the warning, the team will be issued a Match Forfeiture.

- R11 The identities and number of personnel of each team entering designated areas such as the Preparation, Inspection, Staging, and Competition Areas must meet the relevant requirements.

Penalties: Verbal Warning. If the Verbal Warning is ineffective, the offender may be imposed a maximum penalty of disqualification from the competition.

- R12 One member of a Pit Crew must wear the “Captain” armband which must not be covered.

Penalties: Verbal Warning.

- R13 Without the permission of the referee, Pit Crew Members entering the Battlefield must not communicate with anyone from the outside.

Penalties: Verbal Warning. If the Verbal Warning is ineffective, the offender may be disqualified as the maximum penalty.

R14 Pit Crew Members are not allowed to power their equipment using the power supply for official equipment in the Competition Area. However, they may bring their own power supply.

Penalties: Verbal Warning will be given; and if it does not work, the offender will be issued a Red Card. The highest penalty that can be imposed on the offending team is disqualification.

8.2.1.2 Battlefield Specifications

R15 Participants must wear protective goggles when inside the Battlefield.

Penalties: The offender is barred from the Battlefield.

R16 During an Official Technical Timeout, Pit Crew Members are not allowed to fix faults other than those in modules related to the Referee System.

Penalties: Verbal Warning. If the Verbal Warning is ineffective, the offender shall be issued a Red Card.

R17 After the end of the Setup Period, Pit Crew Members must return to the designated area outside the Battlefield. During the competition, Pit Crew Members are not allowed to leave the area without the permission of the referee.

Penalties: Verbal Warning. If the Verbal Warning is ineffective, the offender shall be issued a Red Card.

R18 After the end of the Setup Period, the Pit Crew must place the Commissioning Remote Controller for the Sentry Robot at the entrance of the Battlefield. The Remote Controller cannot be used to commission the Sentry Robot once the five-second countdown has started.

Penalties: Verbal Warning. If the Verbal Warning is ineffective, the team shall be issued a Round Forfeiture.

R19 During the Setup Period, Pit Crew Members must ensure their robots are operating safely and will not cause harm to any person or equipment in the Competition Area.

Penalties: The offending team must bear the relevant responsibility.

R20 During the competition, a reloading operator can only refill projectiles using the official Projectile Reloader and is not permitted to touch a robot by any other means.

Penalties: Verbal Warning. If the warning is ineffective, the offender shall be issued a Red Card.

R21 During the competition, a projectile reloader must wear a long-sleeved top and goggles when reloading projectiles for a robot, and can only do so by standing outside the perimeter wall of the Battlefield.

Penalties: Forbidden from reloading projectiles for robots. Any violation will result in the offending personnel being issued a Red Card Warning.

8.2.1.3 Operator Room Requirements

R22 Except for the Operators of the robots on the Battlefield, the Pit Crew are not allowed in the Operator Room.

Penalties: Verbal Warning. If the Verbal Warning is ineffective, the offender shall be issued a Red Card.

R23 Operators must remain in the relevant Operator Room during the Referee System Initialization Period and the Match, to operate the control equipment for the corresponding robots, and must remain in position after a match has started, unless otherwise permitted by the referee.

Penalties: Verbal Warning. If the Verbal Warning is ineffective, the offender shall be issued a Red Card.

R24 During the competition, each operator is equipped with at most one remote controller and one custom controller.

Penalties: Verbal Warning. If the Verbal Warning is ineffective, the offender shall be issued a Red Card.

R25 Operators are not allowed to use their own headphones or computers in the Operator Room.

Penalties: Verbal Warning. If the Verbal Warning is ineffective, the team shall be issued a Round Forfeiture.

8.2.2 Robots

R26 Robots and Custom Controllers to be deployed in a match must pass a Pre-Match Inspection.

Penalties: Forfeiture of Round

R27 In the first round of a match, the robots must meet the minimum battle team size.

Penalties: Match Forfeiture

R28 Robots must meet the requirements in the [“RoboMaster University Series 2023 Robot Building Specifications Manual”](#).

Penalties: Verbal Warning. If the Verbal Warning is ineffective, the offender may be imposed a maximum penalty of disqualification from the competition.



- The RMOC will conduct random checks on robots.
 - Any report made against a robot for not complying with the robot building specifications manual must be supported by the relevant evidence.
-

R29 Before the Referee System Initialization Period, robots must be attached with armor stickers that meet the specifications documents.

Penalties: Verbal Warning. If the Verbal Warning is ineffective, the offending robot will be issued a Red Card.

R30 When waiting in the Staging Area, team members are not allowed to bring robots out of the Staging Area without permission.

Penalties: Verbal Warning. If the warning is ineffective, the offenders and robots will be issued a Red Card, with the most serious penalty being disqualification from the competition.

R31 Robots must not carry or present safety issues including but not limited to short circuits, crashing, creating fumes or lighting flames, and falling to the ground. If a safety issue is present or has arisen, team members must execute the relevant operations in accordance with the referee's instructions.

Penalties: If it happens before the start of a match, the Pit Crew need to resolve the safety issue as required by the referee, otherwise the offending robot will not be allowed to appear on the Battlefield. If it is during the competition, a Verbal Warning shall be issued. If the Verbal Warning is ineffective, a Red Card shall be issued against the offending team member or robot. Any incident involving serious safety hazards shall be handled by the Head Referee in accordance with "9 Irregularities".

R32 Robots are not allowed to fire projectiles out of the Battlefield.

Penalties: Verbal Warning. If the Verbal Warning is ineffective, the offending robot will be issued a Red Card.

R33 During the Setup Period and the Referee System Initialization Period, robots in the Battlefield are not allowed to leave their corresponding initialization zones.

Penalties: If it is during the Setup Period, a Verbal Warning shall be given. If the Verbal Warning is ineffective, the highest penalty that can be imposed on the offending team is a Red Card. If it is during the Referee System Initialization Period, the Chief Referee shall issue a Yellow Card or Red Card against the offending team, judged based on the offending team's subjective intention and the impact of its violation on the competition.

R34 If any projectile needs to be fired during the Setup Period, it must be launched into the projectile clearance bag.

Penalties: Verbal Warning. If the Verbal Warning does not work, the offending team member and robot shall be issued a Red Card.

R35 During the competition, the robot is not allowed to disintegrate into sub-robots or sub-systems connected by multiple flexible cables, and must not cast or launch their own parts.

Penalties: The offending robot will be issued a Red Card.

R36 During the competition, robots are not allowed to block any of its Armor Modules with its body or transform beyond its maximum expansion size.

Penalties: Warnings shall be issued against the offending team as judged based on their subjective intention. If the blocking was intentional, a Yellow Card will be issued along with a Verbal Warning. If the Verbal Warning is ineffective, a Red Card shall be issued. If the blocking was passive in nature, the offender will be issued a Yellow Card.

R37 During the Setup Period, the replacement modules and parts used on robots must meet the requirements for “Equivalent Parts” as stated in “7.3 Setup Period”.

Penalties: Verbal Warning. If Verbal Warning is ineffective, the offending robot shall be issued a Red Card.

R38 On the Battlefield of a 3V3 Match, each team can have no more than one robot mounted with an Optional 17 mm Launching Mechanism.

Penalties: During the Setup Period, if any team in the Battlefield has multiple robots mounted with mobile 17 mm Launching Mechanisms, the Pit Crew Members must remove the excess robots from the Battlefield as required by the rules. If the Initialization Period has commenced, the Referee System shall automatically retain the robot with the smallest serial number while issuing a Red Card against all the surviving offending robots.

For example: If a team’s Hero and Standard Robots are found to be installed with an Optional 17mm Launching Mechanism during the Initialization Period, the Referee System’s server will automatically eject the Standard Robot.

R39 Standard Robots to be fitted with a balancing chassis must meet the definition of a Balancing Standard Robot while they are alive. This does not apply to Standard Robot when not alive.



In the Supplier Zone, a Balancing Standard Robot is not required to meet the definition of a Balancing Standard Robot.

Penalties: Warnings shall be issued against the offending robot based on the length of the violation. If it exceeds 3 seconds, a first Yellow Card is issued. Thereafter, each 10 seconds will incur a further Yellow Card. This carries on until the robot is not alive.

R40 During the competition, the vertical projection of the vertical axis of a Balancing Standard Robot’s Launching Mechanism must intersect with the vertical projection of its Armor Module, except only when the robot is in a rotating or reciprocating rotating motion at a uniform speed. However, when in reciprocating rotation, the vertical projection of the central axis of the robot’s reciprocating motion must overlap with that of its X-axis. The robot will still be considered as moving at uniform speed despite any temporary speed variation caused by acceleration or deceleration of the motor when the robot changes the direction during its reciprocating motion.

Penalties: For a violation, the offending robot will be issued a Yellow Card and a Verbal Warning; if the Verbal Warning is ineffective, a Yellow Card will be issued every three seconds until the robot is not alive.

8.2.3 Interactions

8.2.3.1 Interaction between Robots

R41 A robot may not use any of its body structures to strike an enemy robot in collision. If a defeated robot is obstructing a key path, the robot can be slowly pushed away.



In any collision between robots, the offending robot will be deemed by the referee as the initiator.

Penalties: Warnings shall be issued against the offending robot judged based on their subjective intention and the degree of collision.

Table 8-3 Collision Violation Penalty Standard

Violation Level	Descriptions
Yellow Card	Actively causing high-speed front collision, active pushing causing the other team's robot to move, or impeding the normal movement of the other team's robot
Red Card	Actively, maliciously and repeatedly causing high-speed front collision, active and prolonged pushing causing the other team's robot to move over a fairly long distance, seriously impeding the normal movement of the other team's robot, or securing a major advantage unfairly by means of aggressive collision.

R42 A robot must not get stuck together with any other robot due to active interference, blocking or collision.


Penalties: Counting from when an entanglement is determined, warnings shall be issued against the offending robot based on the length of the violation. If it exceeds 10 seconds, a first Yellow Card will be issued. Thereafter, each 20 seconds will incur a further Yellow Card. This shall carry on until the robot is ejected. Regardless of whether the offending robot is alive, if the violation goes on for longer than 90 seconds, the offending team will be issued a Round Forfeiture.

R43 A robot must not use any means other than firing projectiles to interfere with an enemy robot's projectile reload, HP recovery, or respawn in any area.

Penalties: The offending robot will be issued a Yellow Card.

8.2.3.2 Interaction between Robots and Battlefield Components

To ensure the fairness of the competition and that robots in the Battlefield are able to receive buffs and reloads effectively, Supplier Penalty Zones have been set up in the Battlefield which the robots of one or both teams are forbidden from entering, as shown below (with a wooden Battlefield as an example). The Supplier Zone of one team is the Supplier Penalty Zone for the other.



[1] Supplier Penalty Zone

Figure 8-1 Base Penalty Zone

R44 The robots of one team are forbidden from the Supplier Penalty Zone, and must not cause any interference with or hindrance to the entry of the other team's robots into the Supplier Penalty Zone.

Penalties: Warnings shall be issued against the offending team based on how long the robot remained in the Penalty Zone and the impact of the violation. If it exceeds 3 seconds, a first Yellow Card is issued. Thereafter, each 10 seconds will incur a further Yellow Card. This carries on until the robot is not alive. An offending robot that causes serious damage to an enemy robot by remaining in a Penalty Zone will be issued a Red Card.

R45 During the competition, robots may only use projectiles supplied by the RMOC.

Penalties: Verbal Warning. If the Verbal Warning is ineffective, the highest penalty that can be imposed on the offending personnel is disqualification.

R46 During the competition, robots are not allowed to destroy nor affect the normal function of the Battlefield Components.

Penalties: The maximum penalty is a Match Forfeiture.

8.3 Serious Violations

The following actions are considered serious violations of rules. The highest penalty a referee may impose on an offending team for serious violations is disqualification.

Table 8-4 Categories of Serious Violations

Rules	Type
1	The participants are not members of the team, or the participating robots do not belong to the team.
2	Replacing backup robots without permission, or exceeding the maximum quantity limit for backup robots
3	Violating rules mentioned in this chapter and refusing to accept penalties.
4	Tampering with or damaging the Referee System, or interfering with any detecting function of the Referee System through technical means.
5	Installing explosives or other prohibited materials on robots
6	Where a situation that violates the specification's documents has occurred on the Battlefield and it has been determined by the Chief Referee as a serious violation.
7	Deliberate damage of the opponent's robots, Battlefield Components or related official equipment.
8	Causing delays deliberately or refusing to immediately leave the Competition Area after a match has ended, thereby disrupting the schedule of the competition
9	A team member using robots to collide into or attack other people deliberately, putting themselves and other people at risk of injury
10	Serious verbal or physical conflicts between team members and the staff of the RMOC, other participating teams, audience, etc.
11	A team member's refusal to cooperate, deliberate delay or provision of false materials and information during the Arbitration Commission's handling of an appeal request.
12	In respect of any violation of local laws and regulations occurring inside the Competition Area, Audience Area, dormitories or other relevant competition zones during the competition, the RMOC, apart from issuing the most severe penalty of "disqualification", will fully cooperate with the relevant authorities to pursue appropriate legal actions against the offenders.
13	Any other violation that seriously affects the progress of the matches, goes against the spirit of fair competition, or is deemed as serious in nature by the Chief Referee.

9. Irregularities



There will be a certain delay in the referee's manual penalties and handling of abnormal situations. If it has a major impact on the result of the competition, the Chief Referee will determine the final processing result according to the actual situation.

If any of the following anomalies occur during the competition, it shall be handled according to the corresponding process, to which both teams cannot object. The handling process is as follows:

- When a serious safety hazard or irregularity has occurred on the Battlefield, such as a battery explosion, Aerial breaking an Aerial Safety Rope, stadium power outage, explosion of a compressed gas cylinder, or interpersonal conflict, the Head Referee will notify both teams' operators after discovering and confirming the emergency, and eject all robots through the Referee System. The result of the round will be invalidated. The round will restart after the safety hazard or exception has been eliminated.
- If non-key Battlefield Components are damaged during a match (damage to the ground rubber surface, ground lighting, or Base lighting), which do not affect the fairness of the match, the match will proceed as usual.
- The competition will carry on despite any anomaly with a robot's armor light effects or light bar effects or any damage to an Armor Module Sticker.
- If key Battlefield Components experience logical or structural faults, for example where the network connections are disrupted causing a robot to go offline or a Battlefield Component does not operate normally, the referee will solve the problem manually through the Referee System. If the failure cannot be dealt with manually, the referee will notify the operators of both sides and eject all robots at the same time, the competition will end immediately, and the result of the competition will be invalid. When problems are solved, there will be a replay.
- During a match, if there is structural damage or malfunction of key Battlefield Components that affects the fairness of the match and the Head Referee did not confirm and end the game in time, leading to a situation where a game that should have ended continues and has a winner, the results for the round shall be invalidated once the Chief Referee has made a determination to that effect within 5 minutes after the end of the round, and a rematch shall be held.
- In the case of a serious violation that would clearly have triggered a penalty of forfeiture, and the Head Referee did not confirm and execute it in time, the results for the round shall be invalidated once the Chief Referee has made a determination to that effect within five minutes after the end of the round, and the offending team will be issued a forfeiture.
- During the competition, if any situation has occurred that may affect the fairness of the competition, the Chief Referee shall notify the Captains of both teams of the situation and suspend the results confirmation process within five minutes after the end of the match, and shall make a determination within 60 minutes and notify both Captains of the final course of action.

10. Appeal

Each team has one opportunity to appeal in each event of each division during the RMUL 2023. Such opportunities cannot be accumulated. If an appeal is successful, a team can appeal again in future matches; otherwise the team will no longer be allowed to appeal during the competition. When a team has exhausted its opportunity to appeal, the Arbitration Commission will no longer accept any appeal from the team. The Arbitration Commission reserves the final right of interpretation with regard to its appeal decisions.

- Any grounds for appeal cited by a team involving the following situations may be rejected outright by the Arbitration Commission:
 - A robot's collision with the Battlefield during the competition has caused the Battlefield or components to shift, thus increasing the margin of error.
 - Verbal Warnings and Yellow and Red Cards issued as penalties for violations.
 - The types and processes of Technical Timeouts initiated.
 - No appeal is allowed five minutes after a Match Results Confirmation Form has been signed or a match has ended.
-



10.1 Appeal Process

Teams that filing an appeal need to follow procedures as shown below:



Figure 10-1 Appeal Process

10.2 Appeal Materials

Appeal materials submitted by teams must follow the below specifications:

- Material type: Only materials stored on a USB flash drive and the robots themselves will be accepted as appeal materials. Materials submitted in other forms will not be accepted by the Arbitration Commission.
- USB flash drives: The edited video (the video materials should be prepared by the team itself) and the text files for the appeal should be placed according to the directory.
- Material format: No video may exceed one minute in length or 100MB in size. The name of the video must indicate the specific match, the round of the match and the time it was taken (rounded to minutes). The videos should be compatible with the latest version of Windows Media Player; the photos must be in JPG format; and the text documents must be in PDF format and not exceed 1,000 words in length.
- Material naming: The file name of each video and photo must be within 30 Chinese characters.
- Text requirements: One text file can only correspond to one video or a photo, which must be indicated in the text. Text files only need to explain the violations reflected in the corresponding materials.
- Robot evidence: The Arbitration Commission has the authority to isolate any relevant robot from both teams after an appeal has been made. These robots will be returned to the teams at the latest when the arbitration decision is announced.

10.3 Appeal Decision

Arbitration results include: maintaining the original match results, a forfeiture issued against the respondent, and rematch between both teams. Teams may not appeal against the decision made by the Arbitration Commission.



- Appeal successful: Forfeiture issued against the respondent or rematch between both teams
 - Appeal failed: Maintain the original match results
-

If the Arbitration Commission requests both teams to have a rematch, they will inform both teams of the time of this rematch. If both teams refuse to hold a rematch, the appeal is deemed failed and the original match results are maintained. A team that refuses a rematch is considered to have forfeited the match and will be issued a Match Forfeiture.



Provided it does not affect the schedule of the entire competition, the rematch will in principle be held on the same day after all the other matches.

Appendix References

This chapter contains relevant reference materials for RMUL.

Appendix Table 1 Overview of Reference Materials

Categories	Download Links and Documents List
Competition Specifications Documents	<p>To download the user manual, visit https://www.robomaster.com/en-US/resource/pages/announcement/1504</p> <ul style="list-style-type: none"> ● Rules Manual ● Participant Manual ● Robot Building Specifications Manual
Referee System Related	<p>To download the user manual, visit https://www.robomaster.com/en-US/products/components/referee?djifrom=nav</p> <ul style="list-style-type: none"> ● RoboMaster Referee System User Manual ● Referee System Serial Port Protocol Appendix ● User Manuals of Referee System Modules ● FAQ
RoboMaster Champion Related	<p>To download the user manual, visit https://www.robomaster.com/en-US/products/components/detail/3785</p> <ul style="list-style-type: none"> ● Player's Client Interface Instructions ● Referee's Client Interface Instructions



E-mail: robomaster@dji.com

Forum: bbs.robomaster.com

Website: www.robomaster.com

Tel: +86 (0)755 36383255 (UTC+8, 10:30AM-7:30PM, Monday to Friday)

Address: T2, 22F, DJI Sky City, No. 55 Xianyuan Road, Nanshan District, Shenzhen, China